Author Index to Volume 51

References with (A) are to abstracts of papers presented at meetings of the Physical Society. References with (L) are to Letters to the Editor.

Abramson, Harold A. Electrophoresis and electroosmosis of drugs through the skin—1025(A)

Adams, J. B., J. C. Hubbard and R. T. K. Murray. Field current emission from metals into gases at high pressures—63(A)

Aebersold, Paul C. Physical measurements concerning the biological action of neutrons—375(A)

Ahlberg, J. E., W. O. Lundberg and I. Estermann. Production of liquid hydrogen without the use of a compressor—1028(A)

Albers, V. M. (see Knorr, H. V.)—1016(A)

——— **and H. V. Knorr.** Visible absorption spectra of porphin and its isomer—1017(A)

Allen, James S. Disintegration of beryllium by protons—59(A), 182

Allison, Samuel K., Graham T. Hatch and Lester S. Skaggs. Construction of a voltage multiplying circuit to yield 700 kv—58(A)

Almy, G. M. (see Challacombe, C. N.)—63(A), 930

——— (see Rassweiller, M. P.)—1019(A)

——— **and R. B. Horsfall, Jr.** Spectra of neutral and ionized boron hydride—491

——— **and H. A. Schultz.** Two new band systems of diatomic antimony—62(A)

Alvarez, Luis W., Edwin McMillan and Arthur H. Snell. Removal of the ion beam of the cyclotron from the magnet field—148(A)

Amaldi, E., L. R. Hafstad and M. A. Tuve. Neutron yields from artificial sources—896

Anderson, Carl D. (see Neddermeyer, Seth H.)—884

Anderson, John A. Some problems connected with the 200-inch telescope—142 (title only)

Anderson, Wilmer C. Measurement of the velocity of light—596(A)

Andrews, D. H., J. A. Sanderson and E. O. Hulburt. Optical properties of evaporated films—1017(A)

Babcock, Harold D. New band of atmospheric oxygen—148(A)

Bacher, R. F. (see Tomboulian, D. H.)—1020(A)

Bainbridge, Kenneth T. (see Jordan, Edward B.)—385(A)

——— **and Edward B. Jordan.** Atomic masses of hydrogen, helium, carbon and nitrogen isotopes—384(A)

——— **and Edward B. Jordan.** Mass-spectrographic measurement of the C^+ band resulting from the dissociation of CO^+—595(A)

Baker, C. P. and M. Stanley Livingston. Discharge tube ion source for the cyclotron—1011(A)

Baker, Edward B. and Howard A. Boltz. Thermionic emission into dielectric liquids—275, 989(L)

Bardeen, John. On the density of energy levels of heavy nuclei—384(A), 799

Barnes, S. W. (see DuBridge, L. A.)—995(L), 1012(A)

———, **L. A. DuBridge, E. O. Wiig, J. H. Buck and C. V. Strain.** Proton-induced radioactivity of elements of atomic number greater than eleven—1012(A)

———, **L. A. DuBridge, E. O. Wiig, J. H. Buck and C. V. Strain.** Proton-induced radioactivity in heavy nuclei—775(L)

Barr, E. S. An infrared study of alcohol-acetate mixtures—685(A)

——— (see Plyler, E. K.)—1017(A)

Bartlett, J. H., Jr. Helium wave equation—661

——— Neutron-proton interactions—889(L)

Barton, Henry A. (see Lampson, Curtis W.)—1021(A)

Baudisch, Oskar (see Welo, Lars A.)—1016(A)

Bayley, D. S. and H. R. Crane. Experiments on Li^8 and B^{12}—1012(A)

Bazzoni, Charles B. (see Weber, Alfred H.)—378(A)

Beams, J. W. (see Hoxton, L. G.)—690(A)

——— (see Snoddy, L. B.)—1008(A)

——— **and F. W. Linke.** An inverted ultracentrifuge—689(A)

——— **and A. Victor Masket.** Concentration of chlorine isotopes by centrifuging—384(A)

Bearden, J. A. Charge on the electron—378(A)

Beck, F. J., Jr. (see Ingerson, W. E.)—1010(A)

Beese, N. C. Focusing of electrons in an x-ray tube—998(A)

Bender, David. Refractive index of air in the infrared—144(A)

Bethe, H. A. Disintegrations of very heavy nuclei by deuterons—1004(A)

——— (see Hoffman, J. G.)—214, 1021(A)

——— (see Konopinski, E. J.)—1004(A)

——— (see Rose, M. E.)—205, 993(L)

——— **and G. Placzek.** Resonance effects in nuclear processes—450

——— **and M. E. Rose.** Kinetic energy of nuclei in the Hartree model—283

Beyer, H. G. (see Dunning, J. R.)—51(L), 382(A)

——— (see Powers, P. N.)—371(L)

Bitter, F. Theory of the ferromagnetism of alloys—383(A)

Black, J. G. An arrangement for simplifying the analysis of a spectrum plate—380(A)

Blake, F. C. Posnjak and Barth's principle of "variate atom equipoints," superlattices and "mixed crystals."—1000(A)

Bless, A. A. Effect on an electric field on the diffraction pattern of liquids—688(A)

Bloch, F. On the magnetic scattering of neutrons. II—994(L)

Blodgett, Katharine B. and Irving Langmuir. Built-up films of barium stearate and their optical properties—964

Bockstahler, Lester and Herman Ritow. Potentials in the intermittent glow discharge—1009(A)

Bollman, Vernon (see DuMond, Jesse W. M.)—400

——— **and Jesse W. M. DuMond.** Precision determination of h/e from the short wave-length limit of the continuous x-ray spectrum—145(A)

Boltz, Howard A. (see Baker, Edward B.)—275, 989(L)

Bonner, Lyman G. and Robert Hofstadter. Infrared absorption spectrum of formic acid vapor—1017(A)

Author Index to Volume 51

References with (A) are to abstracts of papers presented at meetings of the Physical Society. References with (L) are to Letters to the Editor.

Abramson, Harold A. Electrophoresis and electroosmosis of drugs through the skin—1025(A)

Adams, J. B., J. C. Hubbard and R. T. K. Murray. Field current emission from metals into gases at high pressures—63(A)

Aebersold, Paul C. Physical measurements concerning the biological action of neutrons—375(A)

Ahlberg, J. E., W. O. Lundberg and I. Estermann. Production of liquid hydrogen without the use of a compressor—1028(A)

Albers, V. M. (see Knorr, H. V.)—1016(A)

——— **and H. V. Knorr.** Visible absorption spectra of porphin and its isomer—1017(A)

Allen, James S. Disintegration of beryllium by protons—59(A), 182

Allison, Samuel K., Graham T. Hatch and Lester S. Skaggs. Construction of a voltage multiplying circuit to yield 700 kv—58(A)

Almy, G. M. (see Challacombe, C. N.)—63(A), 930

——— (see Rassweiller, M. P.)—1019(A)

——— **and R. B. Horsfall, Jr.** Spectra of neutral and ionized boron hydride—491

——— **and H. A. Schultz.** Two new band systems of diatomic antimony—62(A)

Alvarez, Luis W., Edwin McMillan and Arthur H. Snell. Removal of the ion beam of the cyclotron from the magnet field—148(A)

Amaldi, E., L. R. Hafstad and M. A. Tuve. Neutron yields from artificial sources—896

Anderson, Carl D. (see Neddermeyer, Seth H.)—884

Anderson, John A. Some problems connected with the 200-inch telescope—142 (title only)

Anderson, Wilmer C. Measurement of the velocity of light—596(A)

Andrews, D. H., J. A. Sanderson and E. O. Hulburt. Optical properties of evaporated films—1017(A)

Babcock, Harold D. New band of atmospheric oxygen—148(A)

Bacher, R. F. (see Tomboulian, D. H.)—1020(A)

Bainbridge, Kenneth T. (see Jordan, Edward B.)—385(A)

——— **and Edward B. Jordan.** Atomic masses of hydrogen, helium, carbon and nitrogen isotopes—384(A)

——— **and Edward B. Jordan.** Mass-spectrographic measurement of the C^+ band resulting from the dissociation of CO^+—595(A)

Baker, C. P. and M. Stanley Livingston. Discharge tube ion source for the cyclotron—1011(A)

Baker, Edward B. and Howard A. Boltz. Thermionic emission into dielectric liquids—275, 989(L)

Bardeen, John. On the density of energy levels of heavy nuclei—384(A), 799

Barnes, S. W. (see DuBridge, L. A.)—995(L), 1012(A)

———, **L. A. DuBridge, E. O. Wiig, J. H. Buck and C. V. Strain.** Proton-induced radioactivity of elements of atomic number greater than eleven—1012(A)

———, **L. A. DuBridge, E. O. Wiig, J. H. Buck and C. V. Strain.** Proton-induced radioactivity in heavy nuclei—775(L)

Barr, E. S. An infrared study of alcohol-acetate mixtures—685(A)

——— (see Plyler, E. K.)—1017(A)

Bartlett, J. H., Jr. Helium wave equation—661

——— Neutron-proton interactions—889(L)

Barton, Henry A. (see Lampson, Curtis W.)—1021(A)

Baudisch, Oskar (see Welo, Lars A.)—1016(A)

Bayley, D. S. and H. R. Crane. Experiments on Li^8 and B^{12}—1012(A)

Bazzoni, Charles B. (see Weber, Alfred H.)—378(A)

Beams, J. W. (see Hoxton, L. G.)—690(A)

——— (see Snoddy, L. B.)—1008(A)

——— **and F. W. Linke.** An inverted ultracentrifuge—689(A)

——— **and A. Victor Masket.** Concentration of chlorine isotopes by centrifuging—384(A)

Bearden, J. A. Charge on the electron—378(A)

Beck, F. J., Jr. (see Ingerson, W. E.)—1010(A)

Beese, N. C. Focusing of electrons in an x-ray tube—998(A)

Bender, David. Refractive index of air in the infrared—144(A)

Bethe, H. A. Disintegrations of very heavy nuclei by deuterons—1004(A)

——— (see Hoffman, J. G.)—214, 1021(A)

——— (see Konopinski, E. J.)—1004(A)

——— (see Rose, M. E.)—205, 993(L)

——— **and G. Placzek.** Resonance effects in nuclear processes—450

——— **and M. E. Rose.** Kinetic energy of nuclei in the Hartree model—283

Beyer, H. G. (see Dunning, J. R.)—51(L), 382(A)

——— (see Powers, P. N.)—371(L)

Bitter, F. Theory of the ferromagnetism of alloys—383(A)

Black, J. G. An arrangement for simplifying the analysis of a spectrum plate—380(A)

Blake, F. C. Posnjak and Barth's principle of "variate atom equipoints," superlattices and "mixed crystals."—1000(A)

Bless, A. A. Effect on an electric field on the diffraction pattern of liquids—688(A)

Bloch, F. On the magnetic scattering of neutrons. II—994(L)

Blodgett, Katharine B. and Irving Langmuir. Built-up films of barium stearate and their optical properties—964

Bockstahler, Lester and Herman Ritow. Potentials in the intermittent glow discharge—1009(A)

Bollman, Vernon (see DuMond, Jesse W. M.)—400

——— **and Jesse W. M. DuMond.** Precision determination of h/e from the short wave-length limit of the continuous x-ray spectrum—145(A)

Boltz, Howard A. (see Baker, Edward B.)—275, 989(L)

Bonner, Lyman G. and Robert Hofstadter. Infrared absorption spectrum of formic acid vapor—1017(A)

Bowen, I. S. and Everett F. Cox. Ionization of air by γ-rays as a function of pressure and collecting field II—232
——, **R. A. Millikan and H. V. Neher.** Influence of the earth's magnetic field on cosmic-ray intensities up to the top of the atmosphere—1005(A)
Bowls, Woodford E. Effect of mercury vapor on the Townsend coefficient, α, in pure nitrogen—147(A)
Bozorth, R. M. (see Cioffi, P. P.)—1009(A)
—— **and L. W. McKeehan.** An explanation for directions of easy magnetization in ferromagnetic cubic crystals—216(A)
Bradbury, Norris E. (see Nielsen, Russell A.)—69, 143(A)
Bramley, Arthur. Nuclear disintegrations accompanying cosmic-ray showers—385(A)
—— Range of high speed electrons—682(A)
—— Stopping of fast electrons—387(A)
Brammer, Forest E. and Arthur E. Ruark. Improved scale-of-eight recording circuits—688(A)
Brasefield, Charles J. (see Pollard, Ernest)—8
Braun, Milton L. Response of synthetic rubber to temperature changes—684(A)
Breit, G. Approximately relativistic equations for nuclear particles—248
—— Approximately relativistic equations for nuclear particles. Addendum. Proof of approximate invariance—778(L)
——, **J. R. Stehn and E. U. Condon.** Correction to the photoelectric effect of the deuteron—56(L)
—— **and E. Wigner.** Disintegration of Li^8—593(L)
Brenner, W. L. Distribution in a horizontal plane of light from a point source—686(A)
Brice, R. T. Method for sealing β-magnesia windows into steel spectroscopic absorption furnaces and a needle valve for controlling the evacuation of such furnaces—142(A)
Brickwedde, F. G. (see Scott, R. B.)—684(A)
Broch, E. K. Note on the density of eigenfunctions for an electron obeying Dirac's equation—586
Brode, Robert B. and Merle A. Starr. Cosmic-ray showers from lead plates—1006(A)
Brubaker, Gordon (see Pollard, Ernest)—140(L), 1014(A)
—— **and Ernest Pollard.** Maximum energy of the protons emitted by boron under alpha-particle bombardment—1013(A)
Bruce, W. A. (see Foster, E. S., Jr.)—61(A)
—— (see Jauncey, G. E. M.)—60(A), 999(A), 1062, 1067
—— **and E. M. McNatt.** Atomic structure and vibrations in zinc crystals V. Diffuse scattering of x-rays at various scattering angles—1065.
Bruch-Willstätter, M. (see Sponer, H.)—1002(A)
Buck, J. H. (see Barnes, S. W.)—775(L), 1012(A)
—— (see DuBridge, L. A.)—995(L), 1012(A)
——, **C. V. Strain and G. Valley.** Resonance transmutation of Se (34) by protons—1012(A)
Buechner, W. W. (see Lamar, E. S.)—936

Cady, Walter G. Longitudinal effect in Rochelle salt—596(A)
Caldwell, W. I. and K. Lark-Horovitz. X-ray investigations of the structure of wood—998(A)
Camp, Glen D. Heavy particle interaction from β-decay theory—1046
Carlson, J. F. and J. R. Oppenheimer. On multiplicative showers—220
Carroll, H. (see Powers, P. N.)—1022(A), 1112(L)
Carwile, Preston B. Reciprocals to Ampere's law—1016(A)
Challacombe, C. N. Λ-type doubling in the $^2\Pi$ state of OH^+—1001(A)
—— **and G. M. Almy.** Constants of $^2\Pi$ states of AlH, OH^+, BH—63(A)
—— **and G. M. Almy.** On the analysis of molecular $^2\Pi$ states with application to AlH, OH^+, and BH—930
Chapman, Seville. Carrier mobility spectra in the electrification by spraying and bubbling of liquids—145(A)
Chase, C. T. (see Cox, R. T.)—140(L)
Ch'en, Shang-Yi (see Ny Tsi-Zé)—567
Chou, P. Y. (see Compton, Arthur H.)—1104(L)
Christian, Schuyler M. Electrolytic polarization with alternating current—685(A)
Cioffari, Bernard. Structure of the x-ray *K* absorption limits of bromine, iodine, and some of their compounds—630
Cioffi, P. P., H. J. Williams and R. M. Bozorth. Single crystals with exceptionally high magnetic permeabilities—1009(A)
Clark, C. W. (see Giauque, W. F.)—1108(L)
Clark, H. T. and K. Lark-Horovitz. Faraday effect in the x-ray region—61(A)
Clark, O. (see Halpern, O.)—1020(A)
Cobine, J. D. (see Power, R. B.)—594(A)
Cohen, Victor W. (see Ellett, Alexander)—64(A)
—— **and Alexander Ellett.** Velocity analysis of K atoms scattered by a MgO crystal—65(A)
Cohn, Willi M. Polarization of the solar corona—148(A)
Collins, G. B., R. Schager and A. L. Vitter. Electrostatic generator for the production of positrons—58(A)
Colwell, R. C. and A. W. Friend. Reflection of radio waves in the troposphere—1005(A)
—— **and A. W. Friend.** Velocity of radio waves over long distances—990(L)
——, **A. W. Friend and H. C. Hardy.** Frequencies and nodal lines on circular metallic plates—1025(A)
Compton, Arthur H. An energy distribution analysis of primary cosmic rays—59(A)
—— **and P. Y. Chou.** On the origin of cosmic rays—1104(L)
—— **and R. N. Turner.** Variations of cosmic rays with latitude on the Pacific Ocean—1005(A)
Compton, K. T. (see Lamar, E. S.)—936
Comstock, George C. Photoelectric investigation of the "Allison magneto-optic effect"—776(L)
Condon, E. U. (see Breit, G.)—56(L)
—— (see Phillips, M.)—382(A)
Cookson, John W. (see Osterberg, Harold)—1096
Coolidge, Albert Sprague (see James, Hubert M.)—860, 1001(A)
—— **and Hubert M. James.** On the convergence of the Hylleraas variational method—855
Coomes, Edward. Secondary emission from clean tungsten—1008(A)
Cork, J. M. (see Darling, B. T.)—1010(A)

Cork, J. M. (see Kraus, J. D.)—383(A)
——— (see Pool, M. L.)—383(A), 890(L), 1010(A)
——— (see Thornton, R. L.)—383(A)
——— **and R. L. Thornton.** Bombardment of gold with deuterons—59(A)
——— **and R. L. Thornton.** Disintegration of cadmium with deuterons—608
Cornell, S. D. Pressure effect in bands of several dipole molecules—595(A), 739
Cox, Everett F. Current difference in gamma-ray ionization measurements—55(L)
——— (see Bowen, I. S.)—232
Cox, R. T. and C. T. Chase. Scattering of electrons by atomic nuclei—140(L)
Cram, Winston. Influence of temperature of uranin solution on the fluorescence decay time—62(A)
Crane, H. R. High potential apparatus for nuclear studies—58(A)
——— Is the momentum a sufficient description of a photon or an electron?—50(L)
——— (see Bayley, D. S.)—1012(A)
——— (see Gaerttner, E. R.)—49(L), 58(A)
——— (see Turin, J. J.)—1012(A)
Curtis, B. R. (see Darling, B. T.)—1010(A)
Curtis, C. W. First spark spectrum of manganese—1018(A)

Danforth, W. E. (see Swann, W. F. G.)—389
——— (see Ramsey, W. E.)—1105(L)
Darling, B. T., B. R. Curtis and J. M. Cork. Radioactivity in iron by deuteron bombardment—1010(A)
Davey, Wheeler P. (see McLachlan, D., Jr.)—60(A)
——— (see Smith, Sidney D.)—1010(A)
——— **and R. J. Pfister.** Combined still and diffusion pump—1028(A)
Dawson, L. H. and E. O. Hulburt. Scattering of light by water—1017(A)
Delsasso, L. A., W. A. Fowler and C. C. Lauritsen. Energy and absorption of the gamma-radiation from Li^7+H^1—391
———, **W. A. Fowler and C. C. Lauritsen.** Energy and absorption of the gamma-radiation from lithium bombarded by protons—143(A)
———, **W. A. Fowler and C. C. Lauritsen.** Gamma-radiation from fluorine bombarded with protons—527(L)
Dempster, A. J. Electric and magnetic focusing in mass spectroscopy—67
——— Isotopic constitution of neodymium—289(L)
Derieux, John B. New values of the change of resiliency with the velocity of impact—686(A)
d'Eustachio, Dominic. Isotope shifts in Li I—780(L)
DeVoe, Charles F. (see Mendenhall, C. E.)—346
Devol, Lee and Arthur Ruark. Distribution in time of counts due to a constant source and its daughter in equilibrium—710
DeVore, Lloyd T. On the calculation of errors—349
Dicus, A. W. Diffraction patterns by polarized light—686(A)
Dietrich, J. R. (see Snoddy, L. B.)—1008(A)
Downsbrough, G. A. Damping of torsional oscillations in quartz fibers—877, 1014(A)
Driscoll, Raymond L. and Arthur E. Ruark. Fluctuations in the counts of Geiger counters—688(A)
DuBridge, L. A. (see Barnes, S. W.)—775(L), 1012(A)
——— (see Mann, Marvin W., Jr.)—120
———, **S. W. Barnes and J. H. Buck.** Capture of protons by oxygen—1012(A)
———, **S. W. Barnes and J. H. Buck.** Proton induced radioactivity in oxygen—995(L)
Duffendack, O. S. (see Lifschutz, Harold)—1027(A)
——— **and W. H. Gran.** Regularity along a series in the variation of the action cross section with energy discrepancy in impacts of the second kind—804
———, **M. M. Slawsky and Harold Lifschutz.** Discharge mechanism and characteristics of Geiger-Müller counter tubes—1027(A)
Duffin, Richard J. On the behavior of a certain superconducting circuit—575
DuMond, Jesse W. M. (see Bollman, Vernon L.)—145(A)
——— (see Kirkpatrick, Harry A.)—147(A)
——— (see Marlow, Douglas)—145(A)
——— (see Youtz, J. Paul)—144(A)
——— **and Vernon Bollman.** Determination of h/e from the short wave-length limit of the continuous x-ray spectrum—400
Dunning, J. R. (see Powers, P. N.)—371(L), 1022(A), 1112(L)
———, **P. N. Powers and H. G. Beyer.** Experiments on the magnetic properties of the neutron—51(L), 382(A)
Durkee, A. L. Concerning the probable magnitude of the next sunspot maximum—589(L)
Dwight, C. H. (see Kersten, H.)—380(A)

Eckart, Carl. Correction of continuous spectra for the finite resolution of the spectrometer—735
Edwards, Charles W. First courses in physics in American colleges—687(A)
Einarsson, A. W. (see Loeb, Leonard B.)—142(A)
Eisenbud, L. (see Phillips, M.)—382(A)
Ellett, Alexander (see Cohen, Victor W.)—65(A)
——— **and Victor W. Cohen.** A Stern-Gerlach magnetic field as a velocity analyzer for atomic beams—64(A)
Elliott, D. S. Laboratory demonstration experiments in modern physics—687(A)
Ellis, J. W. (see Kinsey, E. L.)—381(A), 1074
Ellwood, W. B. Magnetic hysteresis in 35 permalloy sheet at low flux densities—1009(A)
Elmore, W. C. Properties of the surface magnetization in ferromagnetic crystals—982
Elsasser, W. M. Relations between the self-consistent field and Bohr's nuclear model—144(A)
——— Self-consistent field and Bohr's nuclear model—55(L)
Emo, Lorenzo (see Richardson, J. Reginald)—1014(A)
Estermann, I. (see Ahlberg, J. E.)—1028(A)
———, **O. C. Simpson and O. Stern.** Magnetic deflection of HD molecules—64(A)
———, **O. C. Simpson and O. Stern.** Magnetic moment of the proton—1004(A)

Evans, Robley D. and Clark Goodman. Application of the direct-fusion furnace to the helium method of determining the geologic ages of rocks—595(A)
Ewing, Douglas H. On the electronic constitution of diamond—1002(A)
Eyster, Eugene. Structure of the α and β band systems of SiF—1078

Fano, Ugo. On the anomalous diffraction gratings. II—288(L)
Farnsworth, H. E. Contact potential difference between different faces of silver single crystals—378(A)
Fay, C. H. Scattering of fast neutrons—995(L)
Feenberg, Eugene. On the saturation property of nuclear forces—777(L)
——— **and M. Phillips.** On the structure of light nuclei—597, 683(A)
——— **and E. Wigner.** On the structure of the nuclei between helium and oxygen—95
Ference, Michael, Jr. Auger effect in germanium—720
Field, J. E. and George A. Lindsay. Index of refraction of cerussite for x-rays—165
Fisher, Russell A. Hyperfine structure in the resonance lines of Mg I and Mg II—381(A)
——— Note on the sign of the magnetic moment of the K^{39} nucleus—887(L)
Fisk, J. B. On the cross sections of Cl_2 and N_2 for slow neutrons—25
——— (see Morse, Philip M.)—706
——— **and Philip M. Morse.** Elastic scattering of neutrons by protons—54(L)
Flodin, George E. (see Hoag, J. Barton)—60(A)
Folsom, T. R. Production of very thin beryllium flakes for a Po-Be neutron source—375(A)
Forbush, S. E. On diurnal variation in cosmic-ray intensity—1005(A)
——— On the effects in cosmic-ray intensity observed during the recent magnetic storms—1108(L)
Foster, E. S., Jr., G. E. M. Jauncey and W. A. Bruce. Dependence of diffuse scattering of x-rays from quartz upon the crystal orientation II—61(A)
Foster, J. S. (see Panter, F.)—1028(A)
——— **and C. A. Horton.** Quantitative spectrographic analysis of biological material. II—1028(A)
——— **and C. A. Horton.** Stark effect in argon and krypton—1007(A)
———, **D. C. Jones and S. M. Neamtan.** Stark effect in the HD and D_2 spectra—1029(A)
——— **and E. R. Pounder.** Effect of crossed electric and magnetic fields on the helium spectrum—1029(A)
Fountain, C. R. Present tendencies and status of physics in the high schools of the south—687(A)
Fowler, W. A. (see Delsasso, L. A.)—143(A), 391, 527(L)
——— **and C. C. Lauritsen.** Radioactive alpha-particles from Li^7+H^2—1103(L)
Frank, N. H. Note on the Hartree and Hartree-Fock methods—577
Frevel, Ludo K. Simplified method for indexing Debye-Scherrer-Hull patterns—997(A)
Fricke, Hugo and Homer P. Smith. Chemical activity of x-ray activated water molecules—376(A)
Friend, A. W. (see Colwell, R. C.)—990(L), 1005(A), 1025(A)
Fry, A. S. Four forms of the copper arc in air—63(A)
Frye, Royal M. (see Kent, Norton A.)—990(L)
Furry, W. H. Application of the theory of neutron absorption in aqueous solutions—592(L)
——— Fluctuations in radiative energy loss and range of fast particles—1004(A)
——— Symmetry theorem in the positron theory—125
——— Theory of neutron velocity distributions in aqueous solutions—382(A)
Fussell, L., Jr. Production and absorption of cosmic-ray showers—1005(A)

Gabel, J. W. (see Zumstein, R. V.)—238
Gaerttner, E. R. and H. R. Crane. An improved method for the measurements of high energy gamma-rays—58(A)
——— **and H. R. Crane.** Gamma-radiation from lithium bombarded with protons—49(L)
Gamow, G. and E. Teller. Some generalizations of the β-transformation theory—289(L)
Gardner, M. E. Coefficient of recombination of pure oxygen as a function of pressure and temperature—144(A)
Genevese, Frank (see Livingston, M. Stanley)—835
Germer, L. H. Structure of organic crystals—596 (title only)
Getting, I. A. (see Stevenson, E. C.)—1027(A)
Giauque, W. F., J. W. Stout and C. W. Clark. Decrease in the electrical resistance of gold with a magnetic field at low temperatures—1108(L)
Gibson, G. E. (see Grahame, D. C.)—590(L)
———, **G. T. Seaborg and D. C. Grahame.** On the interaction of fast neutrons with lead—370(L)
Gilliland, T. R. (see Kirby, S. S.)—992(L)
Githens, Sherwood, Jr. Striking potential of the high frequency discharge in hydrogen as conditioned by frequency—688(A)
Glasser, Otto. Dosage determinations on ten different 400 kv roentgen ray generators—375(A)
Glockler, George and F. T. Wall. Raman effect of gaseous methyl- and dimethylacetylenes—529(L)
Goetz, A. (see Jackson, O. B.)—142(A)
——— (see Jacobs, Robert B.)—147(A), 159
——— (see Rinehart, J.)—147(A)
——— **and Robert B. Jacobs.** Intensities of x-ray reflections from Bi crystals between 25° and 530° Abs.—147(A), 151
Goldsmith, H. H. (see Manley, J. H.)—1022(A)
——— **and J. H. Manley.** Absorption of resonance neutrons—382(A), 1022(A)
Goldsmith, Thomas T., Jr. Refractive index of water for electromagnetic waves eight to twenty-four centimeters in length—245
Goodman, Clark. (see Evans, Robley D.)—595(A)
Gordy, Walter. Effects of certain liquids on the OH vibrational band of alcohol—564
——— Infrared absorption of various solutions of acetic acid—685(A)
——— (see Williams, Dudley)—685(A)

Gorter, C. J. Paramagnetism at radiofrequencies—778(L)
Goudsmit, S. Density of excited levels in heavy nuclei—64(A)
Grahame, D. C. (see Gibson, G. E.)—370(L)
———, **G. T. Seaborg and G. E. Gibson.** Inelastic scattering of fast neutrons—590(L)
Gran, W. H. (see Duffendack, O. S.)—804
Green, G. K. (see Kruger, P. Gerald)—57(A), 291(L), 699
——— **and P. Gerald Kruger.** Radiofrequency source and transmission line for the cyclotron—57(A)
Green, J. B. and R. A. Loring. Zeeman effect of tellurium—62(A)
——— **and H. N. Maxwell.** Zeeman effect of N II—243
——— **and J. A. Peoples, Jr.** Zeeman effect in neon—1020(A)
Gronwall, T. H. Helium wave equation—655
Gropper, Leon. Quantum theory of the second virial coefficient—50(L)
——— Connection between the second virial coefficient and the phases of collision theory—1108(L)
Gunn, Ross. Quantitative study of mountain building on an unsymmetrical earth—1027(A)
——— (see Hall, Wayne C.)—1027(A)

Haas, Arthur. An elementary constant of energy—65(A)
——— Interpretation of the red shift of extra-galactic nebulae—1000(A)
Hafstad, L. R. (see Amaldi, E.)—896
——— (see Rumbaugh, L. H.)—1013(A), 1106(L)
———, **N. P. Heydenburg and M. A. Tuve.** Scattering of protons by protons—1023(A)
——— **and M. A. Tuve.** Neutron-yield curves for light elements—376(A)
Hall, Wayne C. and Ross Gunn. An improved electrical telegauge—1027(A)
Halpern, O. Effect of similarity of particles on gas kinetic quantities—596 (title only)
———, **and M. H. Johnson, Jr.** On the theory of neutron scattering by magnetic substances—992(L)
———, **R. Lueneburg and O. Clark.** Diffuse reflection of neutrons from a plane surface—1020(A)
Ham, W. R. (see Post, C. B.)—1016(A)
——— (see Rast, W. L.)—1015(A)
Hanson, Elmo E. Study of kinetic energies of atomic ions formed by electron impact in nitric oxide and hydrogen chloride—86
Hardy, H. C. (see Colwell, R. C.)—1025(A)
Harkins, W. D. Intermediate nucleus and atomic disintegration in steps—52(L)
Harris, W. T. (see Turner, Louis A.)—1019(A)
Harvey, G. G. Fourier analysis of liquid methyl alcohol—998(A)
——— (see Wollan, E. O.)—1054
Hatch, Graham T. (see Allison, Samuel K.)—58(A)
Haworth, L. J. and L. D. P. King. Alpha-particle yield from protons on lithium—59(A)
Haxby, R. O. (see Williams, J. H.)—888(L), 1011(A)
Hayner, Lucy J. (see Kurrelmeyer, Bernhard)—1007(A)
Hebb, M. H. and E. M. Purcell. Entropy and magnetic susceptibility of paramagnetic salts below 1°K—384(A)
Heck, Charles M. Sensitiveness of paraffin crystal formation to the physical and chemical conditions under which they crystalize—690(A)
——— Spirals in paraffin crystals—686(A)
Hemingway, Allan. Biophysical methods in studies of mammalian temperature regulation—377(A)
Hemmendinger, A. and W. R. Smythe. Radioactive isotopes of rubidium—1052
——— (see Smythe, W. R.)—146(A), 178
Henderson, M. C. (see Ridenour, L. N.)—1013(A)
——— (see White, M. G.)—1012(A)
——— (see Henderson, W. J.)—1107(L)
Henderson, W. J. (see Ridenour, L. N.)—1013(A); 1102(L)
——— (see White, M. G.)—1012(A)
———, **L. N. Ridenour, M. G. White and M. C. Henderson.** Radioactivity of K^{38}—1107(L)
Hendricks, S. B. (see Maxwell, L. R.)—1000(A)
Herb, R. G. (see Rodine, M. T.)—508
———, **D. W. Kerst and J. L. McKibben.** Gamma-ray yield from light elements due to proton bombardment—59(A), 691
———, **D. B. Parkinson and D. W. Kerst.** Development and performance of an electrostatic generator operating under high air pressure—58(A), 75
Herod, Newton S. Quizzes and examinations in physics—687(A)
Hershey, Allen V. Positive ion mobilities in H_2 by the Townsend deflection method—146(A)
Heydenburg, N. P. (see Hafstad, L. R.)—1023(A)
Hibben, James H. Common ion effect in some aqueous solutions as shown by means of the Raman effect—593(L)
——— Reemission of visible light and the coloration by ultraviolet light of certain crystals—530(L)
Hill, E. L. Calculation of phase shifts in scattering problems—1023(A)
——— Virial theorem in nuclear problems—370(L)
——— (see Williams, J. H.)—434
Hirschfelder, Joseph O. and John F. Kincaid. Application of the virial theorem to approximate eigenfunctions—1002(A)
Hirsh, F. R., Jr. Note on the search for element 87—584
——— Shape of the density-exposure time curve for x-rays—998(A)
Ho, I-djen and R. A. Sawyer. An extension of the Yt I and Yt II spectra—1020(A)
Hoag, J. Barton (see Murray, F. H.)—60(A), 333
——— **and George E. Flodin.** Electron beam oscillators—60(A)
Hoffman, J. G. (see Livingston, M. Stanley)—1021(A)
——— **and H. A. Bethe.** Neutron absorption limit of cadmium—1021(A)
———, **M. Stanley Livington and H. A. Bethe.** Some direct evidence on the magnetic moment of the neutron—214
Hoffmann, B. and L. Infeld. On the choice of the action function in the new field theory—383(A), 765
Hofstadter, Robert (see Bonner, Lyman G.)—1017(A)
Holland, D. O. and G. W. Stewart. Orientation of liquid crystals by heat conduction—62(A)

Holley, Clifford. X-ray and optical measurements of multimolecular films—1000(A)
Holmes, F. T. An axial magnetic suspension—689(A)
Holton, W. G. (see Koppius, O. T.)—684(A)
Holzer, R. E. (see Workman, E. J.)—149(A)
Horsfall, R. B., Jr. (see Almy, G. M.)—491
Horton, C. A. (see Foster, J. S.)—1007(A), 1028(A)
Houston, William V. Fine structure of Hα and Dα—148(A)
——— New method of analysis of the structure of Hα and Dα—446
Howard, J. B. Rotation-vibration spectrum of C_2H_6 and the question of internal rotation—53(L)
Howe, J. D. and K. Lark-Horovitz. Electron diffraction patterns of sulphur and selenium molecules—380(A)
Howey, J. H. An elementary laboratory experiment dealing with the relationship $I = Q/t$—687(A)
Hoxton, L. G. and J. W. Beams. Steam-driven ultracentrifuge—690(A)
Hubbard, J. C. (see Adams, J. B.)—63(A)
Huggins, Maurice L. Calculation of intermolecular forces and energies—379(A)
Hulburt, E. O. Theory of the three regions of the ionosphere 689(A)
——— (see Andrews, D. N.)—1017(A)
——— (see Dawson, L. H.)—1017(A)
Hull, Gordon F., Jr. Temperature shift of the potassium resonance lines—572, 595(A)
Hume, O. F. (see Hummell, A. D.)—60(A)
Hummell, A. D. and O. F. Hume. New method of determining the relative location of points within a body by x-ray photography—60(A)
Humphreys, C. J. Interference measurements in the spectra of the noble gases in the ultraviolet—1018(A)
Hurst, D. G. and H. Walke. Induced radioactivity of potassium—1033
Hustrulid, A. (see Kusch, P.)—1007(A)
Huxford, W. S. Photoelectric method for tracing current wave forms—1010(A)

Infeld, L. (see Hoffmann, B.)—383(A), 765
Ingerson, W. E. and F. J. Beck, Jr. Magnetic anisotropy in silicon steel—1010(A)
Inglis, D. R. Perturbation theory and heavy-particle interactions—387(A)
——— Perturbation theory of light nuclei: He^4 and Li^6—531
——— (see Kroeger, W. J.)—1003(A)
——— **and L. A. Young.** Stable isobars—525
Iskenderian, Haig P. Rankine magnetic balance and the magnetic susceptibility of H_2O, HDO and D_2O—1092

Jackson, O. B. and A. Goetz. Recording apparatus for the measurement of integrated intensities of x-ray reflections —142(A)
Jacobs, Robert B. X-ray diffraction patterns from crystalline substancesat very high hydro static pressures—999(A)
——— (see Goetz, Alexander)—147(A), 151
——— **and Alexander Goetz.** Thermal expansion of the Bi lattice between 25° and 530° Abs.—147(A), 159
Jacyna, Witold. Note on the mathematical foundation of the thermodynamical equation of state—677(L)
Jaffe, Hans von R. Polymorphism of Rochelle salt—43
James, Hubert M. (see Coolidge, Albert Sprague)—855
——— **and Albert Sprague Coolidge.** Criteria of goodness for approximate wave functions—860
——— **and Albert Sprague Coolidge.** Theoretical test of the Franck-Condon approximation—1001(A)
Jauncey, G. E. M. (see Foster, E. S., Jr.)—61(A)
——— **and W. A. Bruce.** Atomic vibrations of zinc crystals at liquid air temperature—60(A)
——— **and W. A. Bruce.** X-ray measurement of the effect of temperature on the atomic vibrations in single crystals of zinc—999(A)
——— **and W. A. Bruce.** Atomic structure and vibrations in zinc crystals. IV. Diffuse scattering of x-rays at different temperatures—1062
——— **and W. A. Bruce.** Atomic structure and vibrations in zinc crystals. VI. Determination of electron asymmetry and two principal characteristic temperatures —1067
Jesse, William P. Variation of the atomic structure factor of nickel with wave-length in the region of the nickel *K* absorption limit—999(A)
Johnson, M. H., Jr. Note on the reaction of deuterium on deuterium—779(L)
——— (see Halpern, O.)—992(L)
——— **and H. Primakoff.** Relations between the second and higher order processes in the neutrino-electron field theory—612
Johnson, Thomas H. Radio-transmitted coincidence counter measurements of cosmic-ray intensities in the stratosphere—385(A)
——— (see Read, D. N.)—386(A)
——— **and Donald N. Read.** Unidirectional measurements of the cosmic-ray latitude effect—557
Johnson, Vivian A. and L. W. Nordheim. Distortion of a closed shell due to crystallic fields—1002(A)
Jones, Creighton C. Time delay circuits for operating Wilson cloud chambers—689(A)
Jones, D. C. (see Foster, J. S.)—1029(A)
Jordan, Edward B. (see Bainbridge, Kenneth T.)—384(A), 595(A)
——— **and Kenneth T. Bainbrdige.** Atomic masses of beryllium, boron, neon and argon—385(A)

Kabakjian, D. H. Dependence of luminescence on physical structure in zinc borate compounds—365
Kaiser, Herman F. Estimation of intergranular surfaces and volumes in metals—1015(A)
Kanne, W. R. Transmutation of aluminum by polonium alpha-particles—1013(A)
Kanner, Morton H. (see Ladenburg, Rudolf)—1022(A)
Kaplan, Joseph. Are there metastable molecules in the Lewis-Rayleigh glow?—143(A)
Keen, C. D. High altitude test of a radio-equipped cosmic-ray meter—60(A)
Kennon, W. L. Description of the physical and astronomical equipment at the University of Mississippi prior to 1860—687(A)
Kent, Norton A., Royal M. Frye and William H. Robinson. Structure of Hα of hydrogen—990(L)

Kent, Norton A. and Reginald G. Lacount. Interferometer wave-lengths of certain lines in the secondary spectrum of D_2 and HD—241
Kenty, Carl. Convection currents in mercury arcs—1025(A)
Kerst, D. W. (see Herb. R. G.)—58(A), 59(A), 75, 691
Kersten, H. and C. H. Dwight. Viscosity of sols made from x-irradiated agar—380(A)
Kincaid, John F. (see Hirschfelder, Joseph O.)—1002(A)
King, Allen and W. M. Rayton. Ranges and straggling coefficients of alpha-particles—826
King, Arthur S. (see King, Robert B.)—1020(A)
King, L. D. P. (see Haworth, L. J.)—59(A)
King, Robert B. and Arthur S. King. Multiplet intensities from electric furnace absorption spectra of Fe I and Ti I. —1020(A)
Kinsey, E. L. and J. W. Ellis. Rotation of water molecules in nonpolar solvents—381(A)
——— **and J. W. Ellis.** Rotation of water molecules in carbon disulfide solution—1074
Kip, A. F. (see Loeb, Leonard B.)—142(A)
Kirby, S. S. (see Smith, N.)—890(L)
———, **N. Smith, T. R. Gilliland and S. E. Reymer.** Ionosphere and magnetic storms—992(L)
Kirkpatrick, Harry A. and Jesse W. M. DuMond. Modified scattered spectrum of characteristic molybdenum *K* radiation at large scattering angle with helium gas as the scattering substances using a curved quartz crystal spectrograph—147(A)
Kirkpatrick, Paul and P. A. Ross. Quantum limit of the continuous spectrum—529(L)
Knerr, Henry W. Electric spectrum of liquid water from five to twenty centimeters—1007(A)
Knorr, H. V. (see Albers, V. M.)—1017(A)
——— **and V. M. Albers.** New recording microphotometer —1016(A)
Knipp, Charles T. Cold cathode rectifier—377(A)
Knipp, Julian K. Remark on the creation of pairs by nuclear electrons—381(A)
Konopinski, E. J. (see Livingston, M. Stanley)—835
——— **and H. A. Bethe.** Evaporation model of nuclear disintegrations—1004(A)
Koppius, O. T. and W. G. Holton. Measurement of permeability of porous media by a radial flow method— 684(A)
Kornfeld, Gertrud. Influence of temperature on the reaction of hydrogen atoms with the wall—689(A)
Kraus, J. D. and J. M. Cork. Bombardment of palladium with deuterons—383(A)
Krishnan, K. S. and Asutosh Mookherji. Magnetic anisotropy of $Cs_2[CoCl_4]$—528(L)
——— **and Asutosh Mookherji.** Magnetic anisotropy of four-coordinated CO^{++} ions in crystals—774(L)
Kroeger, W. J. and D. R. Inglis. Perturbation theory of light nuclei: O^{16}—1003(A)
Kruger, P. Gerald. (see Green, G. K.)—57(A)
——— (see Pattin, H. S.)—1019(A)
——— (see Phillips, L. W.)—1019(A)
——— **and G. K. Green.** Construction and operation of a cyclotron to produce one million volt deuterons—699
——— **and G. K. Green.** Million volt cyclotron—57(A)
——— **and L. W. Phillips.** Spectra of K III, Ca IV and Sc V and their relations to the spectra of other ions in the isoelectronic sequence Cl I to Mn IX—1087
———, **G. K. Green and F. W. Stallmann.** Cyclotron operation without filaments—291(L)
———, **W. E. Shoupp and F. W. Stallmann.** Scattering of neutrons of homogeneous energy by protons—1021(A)
———, **S. G. Weissberg and L. W. Phillips.** Spectra of Sc IV, Ti V, Mn VIII and Fe IX in the isoelectronic sequence A I to Fe IX—1090
Krutter, Harry M. (see Manning, Millard F.)—761
Kuper, J. B. H. Small angle scattering of fast electrons —1024(A)
Kurrelmeyer, Bernhard and Lucy J. Hayner. Shot effect of secondary electron currents from nickel and beryllium— 1007(A)
Kusch, P., J. T. Tate and A. Hustrulid. Products of dissociation of benzene vapor by electron impact— 1007(A)

Lacount, Reginald G. (see Kent, Norton A.)—241
Ladenburg, Rudolf and Morton H. Kanner. Yield of protons and neutrons from the deuteron-deuteron reaction—1022(A)
——— **and R. B. Roberts.** Erratum: Investigations of the deuteron-deuteron reaction—141(L)
Lageman, R. T. (see Slack, F. G.)—685(A)
Lamar, E. S., W. W. Buechner and K. T. Compton. Low voltage proton sources—936
Lamb, Willis E., Jr. Note on the capture of slow neutrons in hydrogenous substances—187
——— On the continuous β-ray spectrum of P^{32}—145(A)
Lampson, Curtis W., Donald W. Mueller and Henry A. Barton. Experimental study of neutron-proton interaction—1021(A)
Landahl, H. and G. S. Monk. Interferometer measurements of wave-lengths in H_2 bands—993(L)
Lane, C. T. Magnetic analysis of evaporated Bi deposits —863
Langer, Lawrence M. and Martin D. Whitaker. Shape of the beta-ray distribution curve of radium E at high energies—713, 1023(A)
Langer, Rudolph E. On the connection formulas and the solutions of the wave equation—669
Langer, R. M. Table of observable interstellar lines— 145(A)
Langmuir, Irving (see Blodgett, Katharine B.)—964
——— (see Taylor, John Bradshaw)—753
Langsdorf, Alexander, Jr. Continuously sensitive cloud chamber—1026(A)
Laporte, O. (see Mack, J. E.)—291(L)
Lark-Horovitz, K. (see Caldwell, W. I.)—998(A)
——— (see Clark, H. T.)—61(A)
——— (see Howe, J. D.)—380(A)
——— (see Madigan, S. E.)—61(A)
——— (see Miller, E. P.)—61(A)
——— **and E. P. Miller.** Structure of glasseous selenium —380(A)
Laslett, L. Jackson. Magnetic scattering of slow neutrons— 22, 148(A)

Latimer, Wendell M. Explanation of the relative stabilities of isotopes of the lighter elements—141(L)
Laurence, G. C. Measurement of very hard x-rays in roentgens—374(A)
Lauritsen, C. C. (see Delsasso, L. A.)—143(A), 391, 527(L)
——— (see Fowler, W. A.)—1103(L)
Leberknight, C. E. and John A. Ord. Infrared absorption of dilute solutions of HCl and HBr—430
Legg, V. E. Low flux density a.c. losses in 35 permalloy sheet—1009(A)
Leigh, W. (see Loeb, Leonard B.)—149(A)
Lewis, Gilbert N. Neutron optics—371(L)
——— **and Philip W. Schutz.** Refraction of neutrons—369(L)
——— **and Philip W. Schutz.** Neutron refraction—1105(L)
Libby, W. F. (see Ruben, Samuel)—774(L)
Liben, Israel. Energy distribution of photoelectrons emitted by calcium and calcium oxide—642
Lifschutz, Harold (see Duffendack, O. S.)—1027(A)
———, **O. S. Duffendack and M. M. Slawsky.** Determination of the counting losses in thyratron recording circuits—1027(A)
Linder, Ernest G. Electron scattering and the action of a collector electrode in an electron swarm—1024(A)
Lindsay, George A. (see Field, J. E.)—165
Linke, F. W. (see Beams, J. W.)—689(A)
Livingston, M. Stanley (see Baker, C. P.)—1011(A)
——— (see Hoffman, J. G.)—214
———, **Frank Genevese and E. J. Konopinski.** Excitation of characteristic x-rays by protons—835
——— **and J. G. Hoffman.** Neutron absorption limit in cadmium—1021(A)
Locher, Gordon L. Cosmic-ray bursts photographed with a cloud machine controlled by noncollinear counters—386(A)
——— Photoelectric Geiger-Müller counters for visible and ultraviolet light—386(A)
——— (see Swann, W. F. G.)—389
Loeb, Leonard B. Theory of recombination of ions over an extended pressure range—1110(L)
———, **A. F. Kip and A. W. Einarsson.** Further studies of the C. T. R. Wilson condensation on charged carriers using various liquids—142(A)
——— **and W. Leigh.** Positive needle point corona studies at atmospheric pressure—149(A)
London, F. On the nature of the superconducting state—678(L)
Loring, R. A. (see Green, J. B.)—62(A)
Lowen, Irving S. Effect of nuclear motion in the Dirac equation—190
Lueneburg, R. (see Halpern, O.)—1020(A)
Luhr, Overton and Frank J. Studer. Spectroscopic study of the magnetron discharge—306
Lundberg. W. O. (see Ahlberg, J. E.)—1028(A)
Lyman, Ernest M. Beta-ray spectra of radium E and radioactive phosphorus—1

Mack, J. E. and O. Laporte. Asymmetric Zeeman effect patterns in a complex spectrum—291(L)
Madigan, S. E. and K. Lark-Horovitz. Crystallization of polymorphous substances from the vapor phase II—61(A)
Manley, J. H. (see Goldsmith, H. H.)—382(A), 1022(A)
———, **H. H. Goldsmith and J. S. Schwinger.** Neutron energy levels—1022(A)
——— **and S. Millman.** Nuclear spin and magnetic moment of Li^6—19
Mann, Marvin W., Jr. and Lee A. DuBridge. Absolute photoelectric yields of Mg, Be and Na—120
Manning, Millard F. and Harry M. Krutter. Electronic energy bands in metallic calcium—761
Margenau, H. (see Watson, W. W.)—48(L)
——— **and Dana T. Warren.** Long range interactions between dipole molecules—748
——— **and Dana T. Warren.** Variational calculations on the nuclear three and four body problem—1003(A)
Marinelli, L. D. Study of the secondary radiations emitted by filters used in roentgen therapy—375(A)
Marlow, Douglas and Jesse W. M. DuMond. Method of removing the errors of tooth spacing to produce high precision worm gear wheels by lapping—145(A)
Masket, A. Victor. (see Beams, J. W.)—384(A)
Mason, R. C. Probe measurements of high pressure arcs—28
Maxwell, H. N. (see Green, J. B.)—243
Maxwell, Louis R. Mechanism of delayed killing of maize seedlings with x-radiation—375(A)
———, **S. B. Hendricks and V. M. Mosley.** Interatomic distances of the akali halides—1000(A)
——— **and V. M. Mosley.** Nuclear separation of the Te_2 molecule by electron diffraction—684(A)
McAllister, L. E. Recording machines as a means of teaching and advertising physics—687(A)
McKay, R. E. (see Zumstein, R. V.)—238
McKeehan, L. W. Ferromagnetic anisotropy in nickel-cobalt-iron crystals at various temperatures—136
——— Relation of ferromagnetic anisotropy to atomic structure—1010(A)
——— (see Bozorth, R. M.)—216(A)
McKibben, J. L. (see Herb, R. G.)—59(A), 691
McLachlan, D., Jr. and Wheeler P. Davey. Preferred orientation produced in pure iron-nickel alloys by cold-rolling—60(A)
McMillan, Edwin (see Alvarez, Luis W.)—148(A)
McNatt, E. M. (see Bruce, W. A.)—1065
Mendelssohn, Kurt. Superconductivity—781(L)
Mendenhall, C. E. and Charles F. DeVoe. Photoelectric work functions of the 211 and 310 planes of tungsten—346
Meschter, Emery. Mechanism of electron emission from coated cathodes—377(A)
Miller, E. P. (see Lark-Horovitz, K.)—380(A)
——— **and K. Lark-Horovitz.** Structure of molten salts 61(A)
Miller, L. F. Pyrheliometer having a spherical absorber is used to follow sunspot activities—1018(A)
Miller, R. D. Geiger-Müller counter measurements of reflected Mo $K\alpha$ x-rays from powdered zinc—959, 999(A)
Millikan, R. A. (see Bowen, I. S.)—1005(A)
Millman, S. (see Manley, J. H.)—19

Millman, S., I. I. Rabi and J. R. Zacharias. An attempt at direct measurement of the magnetic moment of the Rb^{81} nucleus—379(A)
——— **and J. R. Zacharias.** Signs of the nuclear magnetic moments of Li^7, Rb^{85}, Rb^{87} and Cs^{133}—380(A), 1049
Mitchell, Allan C. G. Long period activity in cadmium irradiated with neutrons—995(L)
——— **and R. N. Varney.** Scattering of neutrons absorbed by iodine—1021(A)
Mohler, Fred L. Recombination in the afterglow of a discharge—1008(A)
Mohler, Nora M. Photographic penetration of haze—1017(A)
Møller, C. On the capture of orbital electrons by nuclei—84
Monk, G. S. (see Landahl, H.)—993(L)
Montgomery, C. G. and D. D. Montgomery. Nature of the soft component of the cosmic-radiation—217
Montgomery, D. C. (see Montgomery, C. G.)—217
Mookherji, Asutosh. (see Krishnan, K. S.)—528(L), 774(L)
Mooney, R. C. L. Crystal structure of potassium tetrachloriodide—998(A)
More, Kenneth R. Band spectra of NiCl and CoCl—1017(A)
Morgan, Karl Z. (see Nielsen, Walter M.)—689(A)
——— **and W. M. Nielsen.** Cosmic-ray shower production in large thicknesses of lead and iron—689(A)
Morse, Philip M. Analytic wave functions for nuclear and atomic collision problems—1003(A)
——— (see Fisk, J. B.)—54(L)
———, **J. B. Fisk and L. I. Schiff.** Collisions of neutron and proton. II—706
Mosley, V. M. (see Maxwell, Louis R.)—684(A), 1000(A)
Motz, Lloyd (see Rosenthal, Jenny E.)—378(A)
Mouzon, J. C. Simple demonstration in sound—686(A)
Mueller, Donald W. (see Lampson, Curtis W.)—1021(A)
Mulliken, Robert S. Low electronic states of simple heteropolar diatomic molecules: III. Hydrogen and univalent metal halides—310
Murnaghan, F. D. Theory of elasticity—593(L)
Murray, F. H. Erratum: Heights of reflection of radio waves in the ionosphere—779(L)
——— **and J. Barton Hoag.** Heights of reflection of radio waves in the ionosphere—60(A), 333
Murray, R. T. K. (see Adams, J. B.)—63(A)

Neamtan, S. M. (see Foster, J. S.)—1029(A)
Neddermeyer, Seth H. and Carl D. Anderson. Note on the nature of cosmic-ray particles—884
Neher, H. V. (see Bowen, I. S.)—1005(A)
Newson, Henry W. Radioactivity induced in silicon and phosphorus by deuteron bombardment—624
——— Transmutation functions at high bombarding energies—620
Nielsen, A. H. and H. H. Nielsen. Optically active CD_4 fundamental bands—62(A)
Nielsen, H. H. (see Nielsen, A. H.)—62(A)
Nielsen, Russell A. and Norris E. Bradbury. Electron and negative ion mobilities in oxygen, air, nitrous oxide and ammonia—69, 143(A)
Nielsen, W. M. (see Morgan, Karl Z.)—689(A)
——— **and Karl Z. Morgan.** Cosmic-ray shower production in lead of various thicknesses—689(A)
Nier, Alfred O. Isotopic constitution of mercury and lead—1007(A)
Nishida, Sotohiko. On hard gamma-rays from Ra(C+C′+C″+D)—996(L)
Nonaka, I. (see Tanaka, M.)—781
Nordheim, G. (see Nordheim, L. W.)—379(A)
———, **L. W. Nordheim, J. R. Oppenheimer and R. Serber.** Disintegration of high energy protons—1037
Nordheim, L. W. Absorption of cosmic rays in the atmosphere—1006(A)
——— On the matrix element in the Fermi theory of β-decay—64(A)
——— On the absorption of cosmic-ray electrons in the atmosphere—1110(L)
——— (see Johnson, Vivian A.)—1002(A)
——— (see Peterson, E. L.)—355
——— **and G. Nordheim.** On the interaction of heavy and light particles at very high energies—379(A)
——— (see Nordheim, G.)—1037
——— **and F. L. Yost.** On the matrix element in Fermi's theory of β-decay—942
Northrup, D. L. and L. C. Van Atta. Generating voltmeter measurements at Round Hill—1014(A)
Nottingham, W. B. Electrical and luminescence properties of willemite screen material—1008(A)
——— Potential and luminescence of insulated willemite cathode-ray screens—591(L)
Ny, Tsi-Zé and Ch'en, Shang-Yi. Displacement of principal series lines of rubidium by the addition of rare gases—567

O'Bryan, H. M. (see Schneider, E. G.)—293
O'Connor, J. S., S. J. Beta-ray spectrum of radium E.—1023(A)
Oldenberg, O. and F. F. Rieke. Absorption spectrum as a quantitative test for free hydroxyl radicals—381(A)
Oppenheimer, J. R. (see Carlson, J. F.)—220
——— (see Nordheim G.)—1037
——— **and R. Serber.** Note on the nature of cosmic-ray particles—1113(L)
Ord, John A. (see Leberknight, C. E.)—430
Osterberg, Harold and John W. Cookson. Piezo dielectric effect and electrostrictions in anisotropic or isotropic media—1096

Page, Chester H. Van der Waals forces between helium atoms—1002(A)
Panter, F. and J. S. Foster. Stark effect in iron, and the contrast with the pole effect—1028(A)
Parker, Herman. Stable states of two deuterons—682(A)
Parkinson, D. B. (see Herb, R. G.)—58(A), 75
Parratt, Lyman G. Widths of *L*-series lines and of energy levels of Ag(47)—999(A)
Pattin, H. S. and P. Gerald Kruger. Spectra of scandium VI and scandium VII and their relation to the isoelectronic sequences starting with sulphur and phosphorus—1019(A)
Paul, Fred W. Preliminary observations of absorption spectra in the Schumann region—594(A)

Paxton, Hugh C. Radiations emitted from artificially produced radioactive substances. III. Details of the beta-ray spectrum of P^{32}—170
Pearson, G. L. Formation of metallic bridges in separated contacts—1015(A)
Peebles, J. B. (see Sledd, Marvin)—684(A)
Peoples, J. A., Jr. (see Green, J. B.)—1020(A)
Peterson, E. L. and L. W. Nordheim. Resistance of monovalent metals—355
Pfister, R. J. (see Davey, Wheeler P.)—1028(A)
Phillips, L. W. and P. Gerald Kruger. Spectra of scandium IV and scandium V and their relation to the spectra of the isoelectronic sequences starting with argon and chlorine—1019(A)
Phillips, M., L. Eisenbud and E. U. Condon. Interaction between light nuclei—382(A)
——— (see Feenberg, E.)—597, 683(A)
——— (see Kruger, P. Gerald)—1087, 1090
Pickering, William H. Secondary particles from the penetrating component of the cosmic radiation—628
Piore, E. R. Thin film field emission—1111(L)
Placzek, G. (see Bethe, H. A.)—450
Plyler, E. K. Infrared absorption of strong and weak acid solutions—685(A)
——— **and E. S. Barr.** Infrared absorption of aqueous solutions of the halogen salts—1017(A)
Pollard, Ernest. Emergence of low energy protons from nuclei—290(L)
——— (see Brubaker, Gordon)—1013(A)
——— **and Charles J. Brasefield.** Alpha-particle bombardment of neon, calcium and argon and masses of light nuclei—8
———, **H. L. Schultz and Gordon Brubaker.** Emission of neutrons from chlorine and argon under alpha-particle bombardment—140(L)
———, **H. L. Schultz and Gordon Brubaker.** Transmutation of argon and chlorine by alpha-particles—1014(A)
Pollard, W. G. Calculations on beta-ray spectra—682(A)
Pool, M. L. and J. M. Cork. Deuteron bombardment of barium, lanthanum and cerium—1010(A)
——— **and J. M. Cork.** Radioactive isotopes from aluminum—383(A)
———, **J. M. Cork and R. L. Thornton.** Radioactivity due to neutron ejection produced by fast neutrons—890(L)
Post, C. B. and W. R. Ham. Diffusion of hydrogen through carbonyl iron at temperatures from 900° to 1125° centigrade—1016(A)
Potter, J. G. (see Waterman, A. T.)—63(A)
Pounder, E. R. (see Foster, J. S.)—1029(A)
Power, R. B. and J. D. Cobine. Application of Paschen's law to the reignition of an arc—594(A)
Powers, P. N. (see Dunning, J. R.)—51(L), 382(A)
———, **H. G. Beyer and J. R. Dunning.** Experiments on the magnetic moment of the neutron—371(L)
———, **H. Carroll and J. R. Dunning.** Experiments on the magnetic moment of the neutron—1022(A), 1112(L)
Present, R. D. (see Rarita, William)—788
——— **and W. Rarita.** On the nuclear three-body problem —382(A)
Preston, William M. Modification of spectral lines by very close collisons—298
Primakoff, H. Additional interaction of protons with an electromagnetic field, due to the presence of the electron-neutrino field—990(L)
——— (see Johnson, M. H., Jr.)—612
Purcell, E. M. (see Hebb, M. H.)—384(A)

Quimby, Edith H. Measurement of backward scattered x-radiation—374(A)

Rabi, I. I. Space quantization in a gyrating magnetic field —652
——— Transitions between states of space quantization in a rotating magnetic field—683(A)
——— Nuclear moments—596 (title only)
——— (see Millman, S.)—379(A)
——— (see Schwinger, Julian)—1003(A)
——— (see Torrey, H. C.)—379(A)
Ramberg, E. G. (see Richtmyer. F. K.)—925
——— **and F. K. Richtmyer.** Radiation probabilities, auger effect and energy level widths for Au(79)—913
Ramsey, Willis E. Type of high potential battery which combines extreme lightness with long shelf life—1028(A)
——— **and W. E. Danforth.** Determination of the shower producing efficiency of cosmic-ray particles—1105(L)
Rarita, W. (see Present, R. D.)—382(A)
——— **and R. D. Present.** On the nuclear two-, three-and four-body problems—788
Rassweiler, M. P. and G. M. Almy. Spectrum of caesium hydride—1019(A)
Rast, W. L. and W. R. Ham. Diffusion of hydrogen through iron at temperatures between 780° and 90°C—1015(A)
Rayton, W. M. (see King, Allen)—826
——— **and T. R. Wilkins.** Wilson cloud chamber investigation of the alpha-particles from uranium—818
Razor, C. T. Spark timer actuated by thermionic tubes—684(A)
Read, Donald N. (see Johnson, Thomas H.)—557
——— **and Thomas H. Johnson.** Automatically recorded coincidence counter measurements of the cosmic-ray latitude effect—386(A)
Reiss, Karl Hans. Remarks on the paper by E. B. Baker and H. A. Boltz "Thermionic emission into dielectric liquids"—781(L)
Reymer, S. E. (see Kirby, S. S.)—992(L)
Richardson, J. Reginald and Lorenzo Emo. Photodisintegration of the deuteron—1014(A)
Richtmyer, F. K. Absorption of ultra-short x-rays—376(A)
——— (see Ramberg, E. G.)—913
——— **and E. G. Ramberg.** Satellite structure of $L\alpha$ and $L\beta_2$ of Au(79)—925
———, **C. H. Shaw and R. E. Shrader.** L-satellites in the atomic number range $73 < Z < 79$—380(A)
Ridenour, L. N. (see Henderson, W. J.)—1107(L)
——— (see White, M. G.)—1012(A)
——— **and W. J. Henderson.** Artificial radioactivity produced by alpha-particles—1102(L)
———, **W. J. Henderson, M. C. Henderson and M. G. White.** Radioactivity induced by alpha-particles—1013(A)

Rieke, F. F. (see Oldenberg, O.)—381(A)
Riffolt, N. (see Thompson, L.)—377(A)
Rinehart, J. and A. Goetz. Method for the production of metal single crystals between 20μ and 0.2μ—147(A)
Risser, J. R. Long-period radioactivity in cobalt induced by slow neutrons—1013(A)
Ritow, Herman (see Bockstahler, Lester)—1009(A)
Roberts, Richard B. Investigation of the deuteron-deuteron reaction—810
——— (see Ladenburg, R.)—141(L)
——— (see Rumbaugh, L. H.)—1013(A), 1106(L)
Robertson, H. P. Dynamical effects of radiation in the solar system—1000(A)
Robinson, Howard A. Helium I like spectra—14, 65(A)
——— Lithium I like spectrum of phosphorus P XIII—381(A)
——— Spectra of phosphorus. Part II: The spectra of doubly, triply and quadruply ionized phosphorus (P III, P IV, PV). Additions and corrections to P II—726
——— **and G. H. Shortley.** Coupling of the normal p-electron configurations—1018(A)
Robinson, William H. (see Kent, Norton A.)—990(L)
Rochester, George D. Band spectra of BiF, BiCl, SbF, and SbCl—146(A)
——— Band spectra of SbF and BiF—486
Rodine, M. T. and R. G. Herb. Effect of CCl_4 vapor on the dielectric strength of air—508
Rogers, F. T., Jr. Erratum: The precise measurement of three radium B beta-particle energies—588
——— On the ionization of gases by high energy beta-particles—528(L)
Rose, Morris E. Multiple scattering and stopping of electrons—1024(A)
——— Relativistic wave functions in the continuous spectrum for the coulomb field—484
——— (see Bethe, H. A.)—283
——— **and H. A. Bethe.** Nuclear spins and magnetic moments in the Hartree model—205; Erratum—993(L)
Rosenthal, Jenny E. and Lloyd Motz. Application of a new mathematical method to vibration-rotation interaction—378(A)
Ross, P. A. (see Kirkpatrick)—529(L)
Ruark, Arthur E. (see Brammer, Forest E.)—688(A)
——— (see Devol, Lee)—710
——— (see Driscoll, Raymond L.)—688(A)
Ruben, Samuel and W. F. Libby. Width of iodine resonance neutron band—774(L)
Rumbaugh, L. H., R. B. Roberts and L. R. Hafstad. Transmutation-processes of Li^6 and Li^7—1013(A)
———, **R. B. Roberts and L. R. Hafstad.** Conservation of energy in the disintegration of Li^8—1108(L)

St. Helens, H. J. (see Wilkins, T. R.)—1026(A)
Sakata, Shoichi. (see Yukawa, Hideki)—677(L)
Sampson, J. B. Energy levels in neon and argon—1017(A)
Sanderson, J. A. (see Andrews, D. N.)—1017(A)
Sawyer, R. A. (see Ho, I-djen)—1020(A)
Saxl, Irving J. Elastic hysteresis in wires, sheets and yarns—596(A)
Schager, R. (see Collins, G. B.)—58(A)
Schiff, L. I. Inelastic collision of deuteron and deuteron—595(A), 783
——— Low energy collision of neutron and deuteron—1003(A)
——— (see Morse, Philip M.)—706
Schlapp, Robert. Fine structure in the $^2\Sigma$ ground state of the oxygen molecule, and the rotational intensity distribution in the atmospheric oxygen band—342
Schneider, E. G. and H. M. O'Bryan. Absorption of ionic crystals in the ultraviolet—293
Schremp, E. J. Shadow effect of cosmic radiation and some associated general dynamical theorems—1006(A)
Schultz, H. A. (see Almy, G. M.)—62(A)
Schultz, H. L. Disintegration of the deuteron under fast alpha-particle bombardment—1023(A)
——— (see Pollard, Ernest)—140(L), 1014(A)
Schutz, Philip W. (see Lewis, Gilbert N.)—369(L); 1105(L)
Schwinger, Julian. On nonadiabatic processes in inhomogeneous fields—648
——— On the magnetic scattering of neutrons—544
——— (see Manley, J. H.)—1022(A)
——— **and I. I. Rabi.** Depolarization by neutron proton scattering—1003(A)
——— **and E. Teller.** Scattering of neutrons by ortho- and parahydrogen—775(L)
Scott, George W., Jr. (see Smith, Lloyd P.)—1025 (A)
Scott, R. B. and F. G. Brickwedde. Molecular volumes and lattice forces of liquid normal- and parahydrogen—684(A)
Seaborg, G. T. (see Gibson, G. E.)—370(L)
——— (see Grahame, D. C.)—590(L)
Seemann, Herman E. Secondary radiation intensity as a function of certain geometrical variables—376(A)
Serber, R. (see Nordheim, G.)—1037
——— (see Oppenheimer, J. R.)—1113(L)
Shankland, Robert S. Compton effect with gamma-rays—1024(A)
Shaw, A. E. Focusing criteria for electrons in superimposed electric and magnetic fields—58(A)
——— New precision determination of e/m for electrons—887(L)
Shaw, C. H. (see Richtmyer, F. K.)—380(A)
Shaw, R. William. Optical absorption of fused germanium dioxide from 0.185μ to 8.5μ—146(A)
——— Vibrational analysis of the emission bands of germanous oxide—12
Shearin, Paul E. Observation of spectra—an experiment for the elementary laboratory—687(A)
Shen, S. T., Y. T. Yao and Ta-You Wu. Depolarization of Raman lines and structure of chlorate, bromate and iodate ions—235
Shenstone, A. G. First spark spectrum of platinum—1018(A)
Shepherd, W. G. (see Williams, J. H.)—888(L), 1011(A)
Sherr, Rubby. Separation of isotopes by diffusion—1007(A)
Shinohara, U. (see Toriyama, Y.)—680(L)
Shockley, William. Energy bands for the face-centered lattice—129
——— Test of the cellular method of obtaining lattice functions—379(A)

Shortley, G. H. (see Robinson, H. A.)—1018(A)
Shoupp, W. E. (see Kruger, P. Gerald)—1021(A)
Shrader, R. E. (see Richtmyer, F. K.)—380(A)
Siegel, Sidney. Elastic constants of crystalline sodium at 80°K—1015(A)
Simon, F. Magnetic experiments at very low temperatures—1010(A) (title only)
Simpson, O. C. (see Estermann, I.)—64(A), 1004(A)
Sixtus, K. J. Powder patterns on ferromagnetic crystals—870
——— Remanence in single crystals—780(L)
Skaggs, Lester S. (see Allison, Samuel K.)—58(A)
Skellett, A. M. Time lag in gas-filled photoelectric cells—1026(A)
Slack, F. G., R. T. Lageman and Newton Underwood. Measurements of the verdet constant of crystalline nickelous sulphate—685(A)
Slater, J. C. Damped electron waves in crystals—840
——— Energy levels of fast electrons in a periodic lattice—596 (title only)
——— Nature of the superconducting state—195
——— Wave functions in a periodic potential—846
Slawsky, M. (see Duffendack, O. S.)—1027(A)
——— (see Lifschutz, Harold)—1027(A)
Sledd, Marvin and J. B. Peebles. Study of the thyratron inverter—684(A)
Smith, Homer P. (see Fricke, Hugo)—376(A)
Smith, Lincoln G. Ionization and dissociation of polyatomic molecules by electron impact. I. Methane—263
Smith, Lloyd P. and George W. Scott, Jr. Stable source of focused ions—1025(A)
Smith, N. Quantitative study of the Doppler effect in sound waves—686(A)
——— (see Kirby, S. S.)—992(L)
——— **and S. S. Kirby.** Critical frequencies of low ionosphere layers—890(L)
Smith, Sidney D. and Wheeler P. Davey. An x-ray study of the Ar_3 and Ac_3 points for pure Fe and Fe-Ni alloys—1010(A)
Smythe, W. R. and Hemmendinger, A. Radioactive isotope of potassium—146(A), 178
——— (see Hemmendinger, A.)—1049
Snell, Arthur H. New radioactive isotope of fluorine—143(A)
——— Radioactivities of bromine—1011(A)
——— (see Alvarez, Luis W.)—148(A)
Snoddy, L. B., J. R. Dietrich and J. W. Beams. Propagation of potential in discharge tubes—1008(A)
Sponer, H. and M. Bruch-Willstätter. Lattice energy of solid CO_2—998(A)
Stallmann, F. W. (see Kruger, P. Gerald)—291(L), 1021(A)
Starr, Chauncey. Thermal diffusivity of nickel—376(A)
Starr, Merle A. (see Brode, Robert B.)—1006(A)
Stehn, J. R. (see Breit, G.)—56(L)
Stenstrom, Wilhelm and Irwin Vigness. Effect of irradiation on oil drops—376(A)
Stephenson, R. J. X-ray fluorescence yields—62(A), 637
Stern, O. Molecular ray method for the separation of isotopes—1028(A)
——— New method for the measurement of the Bohr magneton—852, 1004(A)
——— (see Estermann, I.)—64(A), 1004(A)
Stevenson, A. F. Correction due to motion of center of gravity in the Hartree approximation in nuclei—590(L)
——— Spherical symmetry of self-consistent atomic fields—285
Stevenson, E. C. (see Street, J. C.)—1005(A)
——— **and I. A. Getting.** Vacuum tube circuits for scaling down counting rates—1027(A)
Stewart, G. W. (see Holland, D. O.)—62(A)
Stout, J. W. (see Giauque, W. F.)—1108(L)
Strain, C. V. (see Barnes, S. W.)—775(L), 1012(A)
——— (see Buck, J. H.)—1012(A)
Street, J. C. (see Young, R. T., Jr.)—386(A)
——— **and E. C. Stevenson.** Penetrating corpuscular component of the cosmic radiation—1005(A)
Strong, John. Evaporation process and its application to optical surfaces—142 (title only)
Studer, Frank J. (see Luhr, Overton)—306
Stuhlman, Otto, Jr. Physical analysis of the dead beat mechanism of the auditory ossicles—1026(A)
——— Physical constants of the ossicles of the human ear—688(A)
Swann, W. F. G. Effect of galactic rotation upon the intensity of cosmic radiation—718, 1006(A)
——— Nature of cosmic rays—596 (title only)
———, **G. L. Locher and W. E. Danforth.** Geiger-Müller counter measurements of cosmic-ray intensities in the stratosphere—389

Tanaka, M. and I. Nonaka. Production of x-rays by high speed argon ions—781(L)
Taschek, Richard (see Williams, Dudley)—1016(A)
Tate, J. T. (see Kusch, P.)—1007(A)
——— (see Williams, J. H.)—434
Tatel, H. Analysis of the linear amplifier—146(A)
Taub, A. H. Quantum equations in cosmological spaces—512
Taylor, John Bradshaw and Irving Langmuir. Vapor pressure of caesium by the positive ion method—753
Taylor, Lauriston S. Some problems in radiological physics—374(A)
Teller, E. (see Gamow, G.)—289(L)
——— (see Schwinger, Julian)—775(L)
Thompson, L. and N. Riffolt. Characteristics of shock-wave propagation near an explosive source—377(A)
Thornton, R. L. Radioactivity produced in nickel by deuteron bombardment—893
——— (see Cork, J. M.)—59(A), 608
——— (see Pool, M. L.)—890 (L)
——— **and J. M. Cork.** Induced radioactivity in lead—383(A)
Thomas, L. H. Approximation to discrete quantum states by iteration—202
Tomboulian, D. H. and R. F. Bacher. On the measurement of hyperfine structure separations—1020(A)
Tonks, Lewi. Drift of ions and electrons in a magnetic field—744
——— Drift of ions and electrons under the action of concentration gradient, electric and magnetic fields—1025(A)

Toriyama, Y. and U. Shinohara. Electric breakdown field intensity of water and aqueous solutions—680(L)
Torrey, Henry Cutler. Sign of the magnetic moment of the K^{39} nucleus—501
——— **and I. I. Rabi.** Sign of the nuclear magnetic moment of K^{39}—379(A)
Turin, J. J. and H. R. Crane. Stopping of the recoil electrons produced by the $F+H^1$ gamma-rays—1012(A)
Turner, Louis A. and W. T. Harris. Ultraviolet bands of magnesium hydride—1019(A)
Turner, R. N. (see Compton, A. H.)—1005(A)
Tuve, M. A. (see Amaldi, E.)—896
——— (see Hafstad, L. R.)—376(A), 1023(A)

Ufford, C. W. Term values in carbon—1020(A)
Underwood, Newton (see Slack, F. G.)—685(A)

Valasek, Joseph. X-ray emission spectra of sulphides and sulphates—832
Valley, G. (see Buck, J. H.)—1012(A)
Van Atta, C. M. and L. C. Van Atta. High-speed multi-jet oil diffusion pumps of metal construction—377(A)
———, **R. J. Van de Graaff and L. C. Van Atta.** Accelerating tube for the Round Hill electrostatic generator—1013(A)
Van Atta, L. C. (see Northrup, D. L.)—1014 (A)
——— (see Van Atta, C. M.)—377(A), 1014(A)
Van de Graaff, R. J. (see Van Atta, C. M.)—1014(A)
Van Vleck, J. H. Influence of dipole-dipole coupling on electric magnetic susceptibilities—384(A)
Varney, R. N. (see Mitchell, Allan C. G.)—1021(A)
Vigness, Irwin (see Stenstrom, Wilhelm)—376(A)
Vitter, A. L. (see Collins, G. B.)—58(A)

Wait, G. R. Coefficient of combination between small ions and large ions—1025(A)
Walke, Harold. Induced radioactivity of calcium—439
——— Induced radioactivity of titanium—1011(A)
——— Radioactivity induced in calcium under deuteron bombardment—143(A)
——— (see Hurst, D. G.)—1033
Wall, F. T. (see Glockler, George)—529(L)
Wannier, Gregory H. On electron excitation in crystals—1001(A)
Warren, Dana T. (see Margenau, Henry)—748, 1003(A)
Waterman, A. T. Note on quantum absorption probability in the case of the photoelectric effect—378(A)
——— **and J. G. Potter.** Contact potential between filaments in vacuum by Kelvin method—63(A)
Watson, W. W. and H. Margenau. Pressure broadening in bands of dipole molecules—48(L)
Way, Katharine. Photoelectric cross section of the deuteron—552
——— **and John A. Wheeler.** Photoelectric cross section of the deuteron—683(A)
Weber, Alfred H. and Charles B. Bazzoni. Shenstone effect in bismuth—378(A)
Weber, Ernst. Critique of the quantum theory of metallic conduction—378(A)
Weissberg, S. G. (see Kruger, P. G.)—1090
Wells, W. H. (see Williams, J. H.)—434
Welo, Lars A. and Oskar Baudisch. Change from γ-FeOOH and γ-Fe_2O_3 to γ-Fe_2O_3 at lower temperatures and the irreversible transition: γ-FeOOH to α-FeOOH—1016(A)
Wheeler, John A. Resonating group structure in the nucleus—683(A)
——— (see Way, Katharine)—683(A)
Whitaker, Martin D. (see Langer, Lawrence M.)—713, 1023(A)
White, M. G. (see Ridenour, L. N.)—1013(A)
———, **M. C. Henderson, W. J. Henderson and L. N. Ridenour.** Production of high energy alpha-particles by the Princeton cyclotron—1012(A)
——— (see Henderson, W. J.)—1107(L)
Wigner, E. On the consequences of the symmetry of the nuclear Hamiltonian on the spectroscopy of nuclei—106
——— On the structure of nuclei beyond oxygen—947
——— (see Breit, G.)—593(L)
——— (see Feenberg, E.)—95
Wiig, E. O. (see Barnes, S. W.)—775(L), 1012(A)
Wilkins, T. R. (see Rayton, W. M.)—818
——— **and H. J. St. Helens.** Grain spacing of alpha-ray, proton and deuteron tracks in a photographic emulsion—1026(A)
Williams, Dudley. Infrared absorption of the hydrogen halides in organic solvents—288(L)
——— **and Walter Gordy.** Infrared spectra of binary mixtures of certain organic liquids—685(A)
——— **and Richard Taschek.** Effects of elastic stretch on the infrared spectrum of rubber—1016(A)
Williams, H. J. Magnetic properties of single crystals of silicon iron—1009(A)
——— (see Cioffi, P. P.)—1009(A)
Williams, J. H., W. G. Shepherd and R. O. Haxby. Disintegration of lithium by deuterons—1011(A)
———, **W. G. Shepherd and R. O. Haxby.** Evidence for the instability of He^5—888(L)
———, **W. H. Wells, J. T. Tate and E. L. Hill.** Resonance process in the disintegration of boron by protons—434
Williams, S. R. Project methods for college students—596 (title only)
Wilsey, R. B. Measurement of scattered radiation in roentgenography of the chest—376(A)
Witmer, Enos E. Energy levels of the asymmetrical rotator and the correspondence principle—1001(A)
——— Magnetic susceptibility of molecular hydrogen calculated by quantum mechanics—383(A)
Wollan, E. O. and G. G. Harvey. Effect of temperature on the intensity of reflection of x-rays from zinc crystals—1054
Workman, E. J. and R. E. Holzer. An anomalous lightning discharge—149(A)
Wu, Ta-You (see Shen, S. T.)—235

Yao, Y. T. (see Shen, S. T.)—235
Yost, F. L. (see Nordheim, L. W.)—942
Young, L. A. (see Inglis, D. R.)—525

Young, R. T., Jr. and J. C. Street. Cosmic-ray ionizations under various thicknesses of lead shield in northern and equatorial latitudes at different altitudes—386(A)

Youtz, J. Paul and Jesse W. M. DuMond. Thirty kilowatt continuous-rating x-ray outfit of the Watters Memorial Research Laboratory at the California Institute of Technology—144(A)

Yukawa, Hideki and Shoichi Sakata. On the nuclear transformation with the absorption of the orbital electron—677(L)

Zacharias, J. R. (see Millman, S.)—379(A), 380(A), 1049

Zener, Clarence. Mechanism of internal friction—1015(A)

——— On the nonassociation of photoconductivity with optical absorption in nonconducting crystals—64(A)

Zirkle, Raymond E. Columnar ion concentration and the biological effectiveness of x-rays, neutrons and alpha-particles—375(A)

Zumstein, R. V., J. W. Gabel and R. E. McKay. $^1\Sigma^* - {}^1\Sigma$ band system of ionized cadmium deuteride—238

Zwicky, F. Fundamental properties of light from distant nebulae—148(A)

——— Nebulae as gravitational lenses—290 (L)

——— On the probability of detecting nebulae which act as gravitational lenses—679(L)

Analytic Subject Index to Volume 51

References with (A) are to abstracts of papers presented at meetings of the Physical Society. References with (L) are to Letters to the Editor.

Absorption phenomena
- Electrons produced by Li+H gamma-rays, energy losses, E. R. Gaerttner, H. R. Crane—49; L. A. Delsasso, W. A. Fowler, C. C. Lauritsen—391
- Electrons produced by F+H¹ gamma-rays; energy losses, J. J. Turin, H. R. Crane—1012(A)
- Ionic crystals in ultraviolet, E. G. Schneider, H. M. O'Bryan—293
- Photographic penetration of haze, N. M. Mohler—1017(A)
- Scattering of light by water, L. H. Dawson, E. O. Hulburt—1017(A)

Absorption and reflection of light (see **Absorption phenomena; Spectra, absorption**)

Accommodation coefficient
- Of K atoms on MgO, V. W. Cohen, A. Ellett—65(A)

Acoustics
- Doppler effect, N. F. Smith—686(A)
- Mechanism; physical constants of the auditory ossicles, O. Stuhlman, Jr.—688(A); 1026(A)
- Recording machines; teaching physics, L. E. McAllister—687(A)
- Shock-wave propagation near explosive source, L. Thompson, N. Riffolt—377 (A)
- Simple demonstration, harmonics, J. C. Mouzon—686(A)

Afterglow
- Metastable molecules in Lewis-Rayleigh glow, J. Kaplan—143(A)

Arcs (see **Discharge of electricity in gases**)

Astrophysics
- Dynamical effects of radiation, H. P. Robertson—1000(A)
- Elementary constant of energy; energy production of the stars, A. Haas—65(A)
- Nebulae as gravitational lenses, F. Zwicky—290(L), 679(L)
- Observable interstellar lines, R. M. Langer—145(A)
- Polarization of solar corona, W. M. Cohn—148(A)
- Properties of light from distant nebulae, F. Zwicky—148(A)
- Quantum equations in cosmological spaces, A. H. Taub—512
- Red shift, interpretation of, A. Haas—1000(A)

Atomic and molecular beams
- Bohr magneton, measurement of, O. Stern—852; 1004(A)

Atomic and molecular radii (see also **Scattering of electrons**)
- Of Cl_2 and N_2 for slow electrons, J. B. Fisk—25

Biophysics
- Absorption of ultra-short x-rays, F. K. Richtmyer—376(A)
- Backward scattered x-radiation, E. H. Quimby—374(A)
- Biological action of neutrons, P. C. Aebersold—375(A)
- Biological effectiveness, columnar ion concentration, R. E. Zirkle—375(A)
- Chemical activity of x-ray activated water molecules, H. Fricke, H. P. Smith—376(A)
- Delayed killing of seedlings with x-radiation, L. R. Maxwell—375(A)
- Dosage determinations, O. Glasser—375(A)
- Irradiation of oil drops, W. Stenstrom, I. Vigness—376(A)
- Measurement of hard x-rays, G. C. Laurence—374(A)
- Po-Be neutron source, T. R. Folsom—375(A)
- Problems in radiological physics, L. S. Taylor—374(A)
- Scattered radiation in roentgenography of the chest, R. B. Wilsey—376(A)
- Secondary radiations emitted by filters, L. D. Marinelli—375(A)
- Secondary radiation, geometrical variables, H. E. Seemann—376(A)
- Shock-wave propagation near explosive source, L. Thompson, N. Riffolt—377(A)
- Temperature regulation; high frequency currents, A. Hemingway—377(A)
- Transport of drugs through the skin, H. A. Abramson—1025(A)
- Viscosity of sols from x-irradiated agar, H. Kersten, C. H. Dwight—380(A)

Chemical reactions
- Reaction of hydrogen atoms with wall, G. Kornfeld—689(A)

Collision diameter (see also **Atomic and molecular radii**)
- Impacts of second kind, O. S. Duffendack, W. H. Gran—804

Collisions of second kind
- Action cross section, O. S. Duffendack, W. H. Gran—804

Compton effect (see **X-rays, diffraction, scattering**)

Conductivity, electrical (see **Electrical conductivity; Discharge of electricity in gases**)

Constants, physical, standards
- Determination of h/e, short wave-length limit, J. W. M. DuMond, V. Bollman—145(A); 400; P. Kirkpatrick, P. A. Ross—529(L)

Contact potentials
- Between crystal faces, H. E. Farnsworth—378(A)
- Between filaments in vacuum, A. T. Waterman, J. G. Potter—63(A)

Cosmic radiation
- Absorption in atmosphere, L. W. Nordheim—1006(A); —1110(L)
- Altitude test of radio-equipped meter, C. D. Keen—60(A)
- Analysis of primary rays, A. H. Compton—59(A)
- Bursts; noncollinear counters, G. L. Locher—386(A)
- Diurnal variation, S. E. Forbush—1005(A)
- Earth's magnetic field, top of atmosphere, I. S. Bowen, R. A. Millikan, H. V. Neher—1005(A)

Cosmic radiation (continued)
Effect of galactic rotation, W. F. G. Swann—1006(A)
Galactic rotation and intensity, W. F. G. Swann—718
Grain spacing of tracks in photographic emulsion, T. R. Wilkins, H. J. St. Helens—1026(A)
High energy electrons, stopping of, A. Bramley—387(A), 682(A)
Intensities in stratosphere, W. F. G. Swann, G. L. Locher, W. E. Danforth—389
Ionization of air by γ-rays, pressure and collecting field, I. S. Bowen, E. F. Cox—232
Ionization by high energy beta-particles, F. T. Rogers, Jr.—528(L)
Ionization under various thicknesses of Pb, R. T. Young, Jr., J. C. Street—386(A)
Latitude effect; coincidence counter, D. N. Read, T. H. Johnson—396(A); 557
Multiplicative showers, J. F. Carlson, J. R. Oppenheimer—220
Nature of particles, energy losses, H. R. Crane—50(L); J. R. Oppenheimer, R. Serber—1113(L); S. H. Neddermeyer, C. D. Anderson—884; J. C. Street, E. C. Stevenson—1005(A)
Nature of rays producing showers, W. E. Ramsey, W. E. Danforth—1105(L)
Nuclear disintegrations, A. Bramley—385(A)
Origin of rays, A. H. Compton, P. Y. Chou—1104(L)
Radio-transmitted measurements of intensities, T. H. Johnson—385(A)
Secondary particles from penetrating component, W. H. Pickering—628
Shadow effect, E. J. Schremp—1006(A)
Shower mechanism, M. H. Johnson, Jr., H. Primakoff—612
Shower production in Pb, W. M. Nielsen, K. Z. Morgan—689(A); R. B. Brode, M. A. Starr—1006(A)
Shower production in Pb and Fe, K. Z. Morgan, W. M. Nielsen—689(A)
Showers, production and absorption of, L. Fussell, Jr.—1005(A)
Soft component, nature of, C. G. Montgomery, D. D. Montgomery—217
Variations with latitude on Pacific Ocean, A. H. Compton, R. M. Turner—1005(A)

Crystal structure
Debye-Scherrer-Hull patterns, indexing of, L. K. Frevel—997(A)
Patterns at high hydrostatic pressures, R. B. Jacobs—997(A)
Of potassium tetrachloriodide, R. C. L. Mooney—999(A)
Structure of wood, W. I. Caldwell, K. Lark-Horovitz—998(A)
Superlattices and "mixed crystals," F. C. Blake—1000(A)

Crystalline state
Anisotropy in unstrained ferromagnetic crystals, L. W. McKeehan—1010(A)
Ar_3 and Ac_3 points for pure Fe and Fe-Ni alloys, S. D. Smith, W. P. Davey—1000(A)
Contact potential between crystal faces, H. E. Farnsworth—378(A)
Counter measurements of reflected x-rays, R. D. Miller—959, 999(A)
Crystallic fields, effect on closed shell, V. A. Johnson, L. W. Nordheim—1002(A)
Crystallization from vapor phase, S. E. Madigan, K. Lark-Horovitz—61(A)
Electron asymmetry atomic vibration, characteristic temperature in Zn, G. E. M. Jauncey, W. A. Bruce—60(A), 999(A), 1062, 1067; E. O. Wollan, G. G. Harvey—1054
Electron excitation in crystals, G. H. Wannier—1001(A)
Electronic constitution of diamond, D. H. Ewing—1002(A)
Electronic energy bands, Ca, M. F. Manning, H. M. Krutter—761
Electron waves in crystals, J. C. Slater—840
Energy bands for face-centered lattice, W. Shockley—129
Glasseous selenium, structure of, K. Lark-Horovitz, E. P. Miller—380(A)
Intergranular surfaces in metals, H. F. Kaiser—1015(A)
Lattice energy of CO_2, H. Sponer, M. Bruch-Willstätter—998(A)
Magnetic analysis of Bi deposits, C. T. Lane—863
Mechanism of internal friction, C. Zener—1015(A)
Paraffin crystal formation; conditions, C. M. Heck—686(A); 690(A)
Photoconductivity and optical absorption, C. Zener—64(A)
Piezodielectric effect and electrostriction, H. Osterberg, J. W. Cookson—1096
Polymorphism of Rochelle salt, H. von R. Jaffe—43
Preferred orientation in cold rolled alloys, D. McLachlan, Jr., W. P. Davey—60(A)
Production of metal single crystals between 20μ and 0.2μ, J. Rinehart, A. Goetz—147(A)
Coloration by ultraviolet light of MgO, reemission of light, J. H. Hibben—530(L)
Remanence in single crystals, K. J. Sixtus—780(L)
Resistance of monovalent metals; calculation, E. L. Peterson, L. W. Nordheim—355
Scattering of x-rays from Zn, G. E. M. Jauncey, W. A. Bruce—1062; W. A. Bruce, E. M. McNatt—1065
Single crystals with high magnetic permeabilities, P. P. Cioffi, H. J. Williams, R. M. Bozorth—1009(A)
Single crystals of silicon iron; magnetic properties, H. J. Williams—1009(A)
Surface magnetization in crystals, W. C. Elmore—982
Transition of γ-FeOOH, L. A. Welo, Oskar Baudisch—1016(A)

Diffusion
Of H_2 through Fe, C. B. Post, W. R. Ham—1016(A); W. L. Rast, W. R. Ham—1015(A)

Discharge of electricity in gases
Coefficient of combination, G. R. Wait—1025(A)
Convection currents in H_2 arcs, C. Kenty—1025(A)
Drift of ions in magnetic field, L. Tonks—744; 1025(A)
Effect of Hg vapor on Townsend coefficient, W. E. Bowls—147(A)

Discharge of electricity in gases (continued)
Forms of the Cu arc in air, A. S. Fry—63(A)
Gases at high pressures, J. B. Adams, J. C. Hubbard, R. T. K. Murray—63(A)
High frequency discharge, striking potential, S. Githens, Jr.—688(A)
Glow discharge, potentials in. L. Bockstahler, H. Ritow —1009(A)
Ionization of air by γ-rays, pressure and collecting field, I. S. Bowen, E. F. Cox—232
Magnetron discharge, O. Luhr, F. J. Studer—306
Needle point corona studies, L. B. Loeb, W. Leigh—149(A)
Probe measurements on high pressure arcs, R. C. Mason —28
Propagation of potential in tubes, L. B. Snoddy, J. R. Dietrich, J. W. Beams—1008(A)
Recombination in afterglow, F. L. Mohler—1008(A)
Recombination in O_2, M. E. Gardner—144(A)
Reignition of an arc, R. B. Power, J. D. Cobine—594(A)
Theory of recombination of ions over an extended pressure range, L. B. Loeb—1110(L)
Disintegration of nucleus (see also **Radioactivity**)
Accompanying cosmic-ray showers, A. Bramley—385(A)
Of Al by alpha-particles, W. R. Kanne—1013(A)
Of A and Cl by $_2He^4$, E. Pollard, H. L. Schultz, G. Brubaker—1014(A)
Of Be by $_1H^1$, J. S. Allen—59(A); 182
Of B, $_1H^1$ emitted, G. Brubaker, E. Pollard—1013(A)
Of B, resonance process, J. H. Williams, W. H. Wells, J. T. Tate, E. L. Hill—434
Of Cd by $_1H^2$, J. M. Cork, R. L. Thornton—608
Of Cl and A, neutron emitted, E. Pollard, H. L. Schultz, G. Brubaker—140(L)
Creation of pairs, J. K. Knipp—381(A)
Evaporation model, E. J. Konopinski, H. A. Bethe—1004(A)
γ-radiation from $F+H^1$, L. A. Delsasso, W. A. Fowler, C. C. Lauritsen—527(L)
γ-radiation from Li^7+H^1, L. A. Delsasso, W. A. Fowler, C. C. Lauritsen—143(A); 391
γ-rays from light elements, R. G. Herb, D. W. Kerst, J. L. McKibben—691
Of Au, by $_1H^2$, J. M. Cork, R. L. Thornton—59(A)
Of heavy nuclei by $_1H^2$, H. A. Bethe—1004(A)
Of high energy protons, G. Nordheim, L. W. Nordheim, J. R. Oppenheimer, R. Serber—1037; L. W. Nordheim, G. Nordheim—379(A)
$_1H^2-{}_1H^2$ forces, R. Ladenburg, R. B. Roberts—141(L); M. H. Johnson, Jr.—779(L); L. I. Schiff—595(A); 783; R. B. Roberts—810; R. Ladenburg, M. H. Kanner—1022(A)
Of $_1H^2$ under $_2He^4$ bombardment, H. L. Schultz—1023(A)
Instability of He^5, J. H. Williams, W. G. Shepherd, R. C. Haxby—888(L)
Interaction of proton with field, H. Primakoff—990(L)
Intermediate steps, W. D. Harkins—52(L)
I resonance neutron band, S. Ruben, W. F. Libby—774(L)
Of light elements, by $_1H^1$, γ-ray yield, R. G. Herb, D. W. Kerst, J. L. McKibben—59(A)
Of Li, α-particle radioactivity, W. A. Fowler, C. C. Lauritsen—1103(L)
Of Li, α-particle yield, L. J. Haworth, L. D. P. King—59(A)
Of Li by $_1H^2$, efficiency, J. H. Williams, W. G. Shepherd, R. O. Haxby—1011(A)
Of Li^6 and Li^7, transmutation-processes, L. H. Rumbaugh, R. B. Roberts, L. R. Hafstad—1013(A)
Of Li^7, γ-rays, E. R. Gaerttner, H. R. Crane—49(L)
Of Li^8, G. Breit, E. Wigner—593(L)
Of Li^8 and B^{12}, D. S. Bayley, H. R. Crane—1012(A)
Low energy protons from nuclei, E. Pollard—290(L)
Of Ne, Ca and A, E. Pollard, C. J. Brasefield—8
Neutron-yields from artificial sources, E. Amaldi, L. R. Hafstad, M. A. Tuve—896
Nuclear transformation, absorption of orbital electron, C. Møller—84; J. A. Knipp—381(A); Hideki Yukawa, Shoichi Sakata—677(L)
Photodisintegration of deuteron, J. Richardson, L. Emo—1014(A)
Transmutation functions; C^{12}, N^{14}, O^{16}, and H^2, H. W. Newson—620
Dissociation
Of benzene vapor by electron impact, P. Kusch, J. T. Tate, A. Hustrulid—1007(A)
Kinetic energies of atomic ions: electron impact in NO and HCl, E. E. Hanson—86
Of methane by electron impact, L. G. Smith—263
Dynamics
Frequencies and nodal lines on circular plates, R. C. Colwell, A. W. Friend, H. C. Hardy—1025(A)

Elasticity
Change of resiliency with velocity, J. B. Derieux—686(A)
Of crystalline Na at 80° K, S. Siegel—1015(A)
Damping in quartz fibers, G. A. Downsbrough—877, 1014(A)
Hysteresis in wires, sheets and yarns, I. J. Saxl—596(A)
Response of synthetic rubber, M. L. Braun—684(A)
Theory of large strains, F. D. Murnaghan—593(L)
Electrical circuits
Cold cathode rectifier, C. T. Knipp—377(A)
Electron beam oscillators, J. B. Hoag, G. E. Flodin—60(A)
Electrical conductivity and resistance
Of air at low temperatures, W. F. Giauque, J. W. Stout, C. W. Clark—1108(L)
Electric breakdown, water and aqueous solutions, Y. Toriyama, U. Shinohara—680(L)
Formation of metallic bridges in contacts, G. L. Pearson —1015(A)
Of monovalent metals, calculation, E. L. Peterson, L. W. Nordheim—355
Photoconductivity and optical absorption, C. Zener —64(A)
Polarization with alternating current, S. M. Christian —685(A)
Superconducting state, J. C. Slater—195; F. Landon—678(L); K. Mendelssohn—781(L)

Electrical conductivity and resistance (continued)
Supraconducting circuit, R. J. Duffin—575
Theory of metallic conduction, E. Weber—378(A)
Electrical oscillations and waves
Five to twenty centimeter waves in water, H. W. Knerr —1007(A)
Electromagnetic theory
Action function in field theory, B. Hoffmann, L. Infeld—383(A); 765
Ampere's law, reciprocals to, P. B. Carwile—1016(A)
Electron diffraction (see also **Electrons, scattering of**)
In S and Se molecules, J. D. Howe, K. Lark-Horovitz—380(A)
Electrons (see also **Positive electron**)
Charge, J. A. Bearden—378(A)
Energy loss of particles, S. H. Neddermeyer, C. D. Anderson—884
Electrons, secondary
From clean W, E. Coomes—1008(A)
Secondary electron from Ni and Be, B. Kurrelmeyer, L. J. Hayner—1007(A)
Willemite screen material, W. B. Nottingham—1008(A)
Elements
Search for element 87, F. R. Hirsh, Jr.—584
E/m
Deflection measurements, A. E. Shaw—58(A); 887(L)
Entropy
Of paramagnetic salts below 1°K, M. H. Hebb, E. M. Purcell—384(A)
Errata
Heights of reflection of radio waves in the ionosphere, F. H. Murray—779(L)
Investigations of the deuteron-deuteron reaction, R. Ladenburg, R. B. Roberts—141(L)
Nuclear spins and magnetic moments in the Hartree model, M. E. Rose, H. A. Bethe—993(L)
Photoelectric effect of the deuteron, G. Breit, E. U. Condon, J. R. Stehn—56(L)
The precise measurement of three Ra B β-particle energies, F. T. Rogers, Jr.—588
Reflection of radio waves, F. H. Murray—779(L)
Errors of measurements
Calculation of errors, L. T. DeVore—349

Faraday effect (see **Magneto-optical effects**)
Ferromagnetism (see **Magnetic properties**)
Field currents
Formation of metallic bridges, G. L. Pearson—1015(A)
From coated cathodes, E. Meschter—377(A)
Into gases at high pressures, J. B. Adams, J. C. Hubbard, R. T. K. Murray—63(A)
In thin films, E. R. Piore—1111(L)
Field theory
Action function, B. Hoffmann, L. Infeld—383(A), 765
Fine structures (see also **Spectra, etc. and Hyperfine structure**)
In O_2, ground state, R. Schlapp—342
Fluorescence
Decay time, influence of temperature, W. Cram—62(A)
X-ray fluorescence yields, R. J. Stephenson—62(A)

Geophysics
He method, ages of rocks, R. D. Evans, C. Goodman —595(A)
Mountain building, quantitative study, R. Gunn—1027(A)

High voltage tubes and machines
CCl_4 vapor and dielectric strength of air, M. T. Rodine, R. G. Herb—508
Cyclotron, at Ill., P. G. Kruger, G. K. Green—57(A), 699
Cyclotron without filament, P. G. Kruger, G. K. Green, F. W. Stallmann—291(L)
Electrostatic generator for positrons, G. B. Collins, R. Schager, A. L. Vitter—58(A)
Electrostatic generator under high air pressure, R. G. Herb, D. B. Parkinson, D. W. Kerst—58(A), 75
Ion source for cyclotron, C. P. Baker, M. S. Livingston —1011(A)
Production of 9 MV alpha-particles, M. G. White, M. C. Henderson, W. J. Henderson, L. N. Ridenour—1012(A)
Propagation of potential in tubes, L. B. Snoddy, J. R. Dietrich, J. W. Beams—1008(A)
Radiofrequency source and transmission line for cyclotron, G. K. Green, P. G. Kruger—57(A)
Removal of ion beam of cyclotron from field, L. W. Alvarez, E. McMillan, A. H. Snell—148(A)
Transformer apparatus 10^6 volts, H. R. Crane—58(A)
Tube for Round Hill generator, C. M. Van Atta, R. J. Van de Graaff, L. C. Van Atta—1013(A)
Voltage multiplying circuit, S. K. Allison, G. T. Hatch, L. S. Skaggs—58(A)
Voltmeter measurements at Round Hill, D. L. Northrup, L. C. Van Atta—1014(A)
Hydrodynamics
Flow in porous media, O. T. Koppius, W. G. Holton—684(A)
Hyperfine structure (see also **Nuclear spin**)
Measurement separations, D. H. Tomboulian, R. F. Bacher—1020(A)
Resonance lines of Mg I and Mg II, R. A. Fisher—381(A)

Instruments (see **Methods and instruments**)
Ionization by particles (see also **Ionization potentials**)
Ionization by high energy beta-particles, F. T. Rogers, Jr.—528(L)
Ionization potentials
Of methane by electron impact, L. G. Smith—263
Of P, H. A. Robinson—726
Ionization by radiation (see **Photoionization**)
Ionosphere
Critical frequencies of low layers, N. Smith, S. S. Kirby —890(L)
Heights of reflection of radio waves, F. H. Murray, J. B. Hoag—60(A)
Magnetic storms, S. S. Kirby, N. Smith, T. R. Gilliland, S. E. Reymer—992(L)
Three regions, theory, E. O. Hulburt—689(A)

Ions, mobility
Ions produced by spraying and bubbling of liquids, S. Chapman—145(A)
In O_2, air, N_2O and NH_3, R. A. Nielsen, N. E. Bradbury—69; 143(A)
Positive ion in H_2, A. V. Hershey—146(A)
Isotopes
C^+ band from dissociation of CO^+, K. T. Bainbridge, E. B. Jordan—595(A)
Concentration of Cl isotopes, J. W. Beams, A. V. Masket—384(A)
Masses of Be, B, N and A isotopes, E. B. Jordan, K. T. Bainbridge—385(A)
Masses of H, He, C, and N isotopes, K. T. Bainbridge, E. B. Jordan—384(A)
Of Hg and Pb, A. O. Nier—1007(A)
Of Nd, A. J. Dempster—289(L)
Separation by diffusion, R. Sherr—1007(A)
Separation of isotopes; method of, O. Stern—1028(A)

Liquids (see also **Hydrodynamics**)
Analysis of liquid methyl alcohol, x-ray, G. G. Harvey—998(A)
Normal- and parahydrogen molecular volumes and lattice forces, R. B. Scott, F. G. Brickwedde—684(A)
Orientation of crystals by heat conduction, D. O. Holland, G. W. Stewart—62(A)
Structure of molten salts, E. P. Miller, K. Lark-Horovitz—61(A)
Luminescence
In ZnB_2O_4 compounds, D. H. Kabakjian—365

Magnetic properties
Analysis of Bi deposits, evaporated, C. T. Lane—863
Anisotropy of Cs_2, $CoCl_4$, K. S. Krishnan, A. Mookherji—528(L)
Anisotropy in Ni-Co-Fe crystals, L. W. McKeehan—136
Anisotropy of CO^{++} ions in crystals, K. S. Krishnan, A. Mookherji—774(L)
Anisotropy in silicon steel, W. E. Ingerson, F. J. Beck, Jr.—1010(A)
Of crystals of silicon iron, H. J. Williams—1009(A)
Dipole-dipole coupling; susceptibilities, J. H. Van Vleck—384(A)
Directions of easy magnetization in cubic crystals, R. M. Bozorth, L. W. McKeehan—216(A)
Ferromagnetic anisotropy and atomic structure, L. W. McKeehan—1010(A)
Ferromagnetism of alloys; theory, F. Bitter—383(A)
Hysteresis in 35 permalloy, W. B. Ellwood—1009(A)
Losses in 35 permalloy, V. E. Legg—1009(A)
Paramagnetism at radiofrequencies, C. J. Gorter—778(L)
Permeabilities, high, of single crystals, P. P. Cioffi, H. J. Williams, R. M. Bozorth—1009(A)
Powder patterns, ferromagnetic crystals, K. J. Sixtus—870
Susceptibility of H_2O, HDO and D_2O, H. P. Iskenderian—1092
Remanence in single crystals, K. J. Sixtus—780(L)
Surface magnetization in crystals, W. C. Elmore—982
Susceptibility of H_2; calculated, E. E. Witmer—383(A)
Magneto-optical effects
Allison magneto-optic effect, G. C. Comstock—776(L)
Faraday effect in x-ray region, H. T. Clark, K. Lark-Horovitz—61(A)
Verdet constant of nickelous sulphate, F. G. Slack, R. T. Lageman, N. Underwood—685(A)
Mechanics, quantum; atomic structure and spectra
Function for He; Hylleraas variational method, A. S. Coolidge, H. M. James—855
He wave equation, T. H. Gronwall—655; J. H. Bartlett, Jr.—661
Nuclear motion and the Dirac equation, I. S. Lowen—190
Symmetry of self-consistent fields, A. F. Stevenson—285
Mechanics, quantum; general
Approximate wave functions, H. M. James, A. S. Coolidge—860
Approximation to quantum states by iteration, L. H. Thomas—202
Collision of neutron and deuteron, L. I. Schiff—1003(A)
Density of eigenfunctions for Dirac electron, E. K. Broch—586
Hartree-Fock methods, N. H. Frank—577
Lattice energy of CO_2, H. Sponer, M. Bruch-Willstätter—998(A)
Nonadiabatic processes in inhomogeneous fields, J. Schwinger—648
Phase shifts in scattering problems, E. L. Hill—1023(A)
Quantum equations in cosmological spaces, A. H. Taub—512
Relativistic wave functions for coulomb field, M. E. Rose—484
Solutions of wave equation, connection formulas, R. E. Langer—669
Virial theorem and approximate eigenfunctions, J. O. Hirschfelder, J. F. Kincaid—1002(A)
Wave functions for nuclear collisions, P. M. Morse—1003(A)
Mechanics, quantum—molecular structure and spectra
Levels of asymmetrical rotator, E. E. Witmer—1001(A)
Test of Franck-Condon approximation, H. M. James, A. S. Coolidge—1001(A)
Vibration-rotation interaction, calculation, J. E. Rosenthal, L. Motz—378(A)
Mechanics, quantum—of solid bodies
Cellular method of obtaining lattice functions, W. Shockley—379(A)
Crystallic fields; effect on closed shell, V. A. Johnson, L. W. Nordheim—1002(A)
Electron excitation in crystals, G. H. Wannier—1001(A)
Electron waves in crystals, J. C. Slater—840
Electronic energy bands in Ca, M. F. Manning, H. M. Krutter—761
Functions in a periodic potentiai, J. C. Slater—846
Theory of metallic conduction, E. Weber—378(A)
Metals (see **Crystalline state**)

Meteorology
Anomalous lightning discharge, E. J. Workman, R. E. Holzer—149(A)
Penetration of haze, N. M. Mohler—1017(A)
Pyrheliometer having a spherical absorber; sunspot activities, L. F. Miller—1018(A)
Reflection of radio waves, F. H. Murray, J. B. Hoag—333, 779(L); R. C. Colwell, A. W. Friend—1005(A)
Sunspot maximum, A. L. Durkee—589(L)
Three regions in ionosphere, E. O. Hulbert—689(A)
Velocity of radio waves, R. C. Colwell, A. W. Friend—990(L)
Methods and instruments
Analysis of structure of Hα and Dα, W. V. Houston—446
Arrangement for analysis of spectrum plate, J. G. Black—380(A)
Axial magnetic suspension, F. T. Holmes—689(A)
β-magnesia windows in absorption furnaces: needle valve, R. T. Brice—142(A)
Bohr magneton; measurement of, O. Stern—852; 1004(A)
Built-up films of barium stearate, K. B. Blodgett, I. Langmuir—964
Calculation of errors, L. T. DeVore—349
Calibration of galvanometer, J. H. Howey—687(A)
CCl_4 vapor and dielectric strength of air, M. T. Rodine, R. G. Herb—508
Characteristics of counters, O. S. Duffendack, M. M. Slawsky, H. Lifschutz—1027(A)
Circuits for scaling down counting rates, E. C. Stevenson, L. A. Getting—1027(A)
Cloud chamber, continuously sensitive, A. Langsdorf, Jr.—1026(A)
Cold cathode rectifier, C. T. Knipp—377(A)
Condensation on charged carriers, L. B. Loeb, A. F. Kip, A. W. Einarsson—142(A)
Counter measurements of reflected x-rays, R. D. Miller—959
Current wave forms, photoelectric method, W. S. Huxford—1010(A)
Debye-Scherrer-Hull patterns, indexing of, L. K. Frevel—997(A)
Diffraction patterns by polarized light, A. W. Dicus—686(A)
Distribution of counts, constant source and daughter in equilibrium, L. Devol, A. Ruark—710
Distribution of light, W. L. Brenner—686(A)
Doppler effect in sound, N. F. Smith—686(A)
Electrical telegauge, W. C. Hall, R. Gunn—1027(A)
Electron beam oscillators, J. B. Hoag, G. E. Flodin—60(A)
Electrostatic generator for positrons, G. P. Collins, R. Schager, A. L. Vitter—58(A)
Electrostatic generator under high air pressure, R. G. Herb, D. B. Parkinson, D. W. Kerst—58(A), 75.
Equipment at the U. of Miss., W. L. Kennon—687(A)
Experiments in modern physics, D. S. Elliott—687(A)
First courses in physics, C. W. Edwards—687(A)
Fluctuations in G-M counters, R. L. Driscoll, A. E. Ruark—688(A)
Focusing in mass spectroscopy, A. J. Dempster—67
Focusing of electrons in superimposed fields, A. E. Shaw—58(A)
G-M counters for visible and ultraviolet light, G. L. Locher—386(A)
Grain spacing of tracks in photographic emulsion, T. R. Wilkins, H. J. St. Helens—1026(A)
High potential battery; extreme lightness and long shelf life, W. E. Ramsey—1028(A)
High precision worm gear wheels, D. Marlow, J. W. M. DuMond—145(A)
Integrated intensities of x-rays; recording apparatus, O. B. Jackson, A. Goetz—142(A)
Ion source for cyclotron, C. P. Baker, M. S. Livingston—1011(A); P. G. Kruger, G. K. Green, F. W. Stallman—291(L)
Ion sources, E. S. Lamar, W. W. Buechner, K. T. Compton—936
Linear amplifier; analysis of, H. Tatel—146(A)
Location of points by x-ray photography, A. D. Hummell, O. F. Hume—60(A)
Losses in thyratron recording circuits, H. Lifschutz, O. S. Duffendack, M. M. Slawsky—1027(A)
Measurement of velocity of light, W. C. Anderson—596(A)
Measurements of high energy γ-rays, E. R. Gaerttner, H. R. Crane—58(A)
Metal diffusion pump, C. M. Van Atta, L. C. Van Atta—377(A)
Production of metal single crystals between 20μ and 0.2μ, J. Rinehart, A. Goetz—147(A)
Pyrheliometer having a spherical absorber, L. F. Miller—1018(A)
Recording machines; teaching physics, L. E. McAllister—687(A)
Microphotometer, recording, H. V. Knorr, V. M. Albers—1016(A)
Observation of spectra, P. E. Shearin—687(A)
Production of liquid hydrogen, J. E. Ahlberg, W. O. Lundberg, I. Estermann—1028(A)
Quizzes and examinations in physics, N. S. Herod—687(A)
Radiofrequency source and transmission line for cyclotron, G. K. Green, P. G. Kruger—57(A)
Removal of ion beam of cyclotron from field, L. W. Alvarez, E. McMillan, A. H. Snell—148(A)
Resolution of spectrometer, C. Eckart—735
Scale-of-eight recording circuits, F. E. Brammer, A. E. Ruark—688(A)
Separation of isotopes, O. Stern—1028(A)
Sound, simple demonstration, J. C. Mouzon—686(A)
Source of focused ions, L. P. Smith, G. W. Scott, Jr.—1025(A)
Spark timer, C. T. Razor—684(A)
Status of physics in high schools of the south, C. R. Fountain—687(A)
Still and diffusion pump, W. P. Davey, R. J. Pfister—1028(A)
30 kw continuous-rating x-ray outfit, J. P. Youtz, J. W. M. DuMond—144(A)

Methods and instruments (continued)
Thyratron inverter, M. Sledd, J. B. Peebles—684(A)
Time delay circuits for cloud chambers, C. C. Jones—689(A)
Ultracentrifuge, inverted, J. W. Beams, F. W. Linke—689(A)
Ultracentrifuge, steam-driven, L. G. Hoxton, J. W. Beams—690(A)
Velocity analyzer for atomic beams, A. Ellett, V. W. Cohen—64(A)
Voltage multiplying circuit, S. K. Allison, G. T. Hatch, L. S. Skaggs—58(A)
Willemite screen material, W. B. Nottingham—591(L) 1008(A)
Mobility of ions (see **Ions, mobility**)
Molecular beams (see **Atomic and molecular beams**)
Molecular structure and constants (see also **Spectra, molecular; Raman spectra**)
Depolarization of Raman lines; structure of chlorate, bromate and iodate ions, S. T. Shen, Y. T. Yao, Ta-You Wu—235
Interactions between dipole molecules, H. Margenau, D. T. Warren—748
Interatomic distances in alkali halides, L. R. Maxwell, S. B. Hendricks, V. M. Mosley—1000(A)
Intermolecular forces and energies, M. L. Huggins—379(A)
Levels of asymmetrical rotator, E. E. Witmer—1001(A)
Nuclear separation of Te_2; electron diffraction, L. R. Maxwell, V. M. Mosley—684(A)
Spectrum of C_2H_6 and internal rotation, J. B. Howard—53(L)
Vibration-rotation interaction, J. E. Rosenthal, L. Motz—378(A)

Neutrons (see also **Scattering of electrons, neutrons, and ions**)
Absorption in aqueous solutions, W. H. Furry—592(L)
Absorption limit of Cd, J. G. Hoffman, H. A. Bethe—1021(A); M. S. Livingston, J. G. Hoffman—1021(A)
Absorption of resonance neutrons, H. H. Goldsmith, J. H. Manley—382(A), 1022(A)
Biological action of neutrons, P. C. Aebersold—375(A)
Capture of slow neutrons, W. E. Lamb, Jr.—187
Energy levels, J. H. Manley, H. H. Goldsmith, J. S. Schwinger—1022(A)
Inelastic scattering, D. C. Grahame, G. T. Seaborg, G. E. Gibson—590(L)
Interaction with Pb, G. E. Gibson, G. T. Seaborg, D. C. Grahame—370(L)
Magnetic moment; J. R. Dunning, P. N. Powers, H. G. Beyer—51(L); 382(A); J. G. Hoffman, M. S. Livingston, H. A. Bethe—214; P. N. Powers, H. G. Beyer, J. R. Dunning—371(L); P. N. Powers, H. Carroll, J. R. Dunning—1022(A)
Magnetic scattering, J. S. Schwinger—544; O. Halpern, M. H. Johnson, Jr.—992(L); F. Bloch—994(L); P. N. Powers, H. Carroll and J. R. Dunning—1112(L)
Neutron optics, G. N. Lewis—371(L); G. N. Lewis, P. W. Schutz—369(L); 1105(L)
Po-Be neutron source, T. R. Folsom—375(A)
Scattering, L. Jackson Laslett—22, 148(A); J. Schwinger 544; J. Schwinger, E. Teller—775(L); C. H. Fay—995(L)
Velocity distributions in aqueous solutions, W. H. Furry—382(A)
Yield curves for light elements, L. R. Hafstad, M. A. Tuve—376(A)
Yield from artificial sources, E. Amaldi, L. R. Hafstad, M. A. Tuve—896
Nuclear moments and spin (see also **Hyperfine structure**)
In Hartree model, M. E. Rose, H. A. Bethe—205; Erratum—993(L)
Of Li^7, Rb^{85}, Rb^{87}, and Cs^{133}, S. Millman, J. R. Zacharias—380(A); 1049
Magnetic deflection of HD molecules, I. Estermann, O. C. Simpson, O. Stern—64(A)
Nonadiabatic processes in inhomogeneous fields, J. Schwinger—648
Of K^{39}, sign, H. C. Torrey—501; H. C. Torrey, I. I. Rabi—379(A); R. A. Fisher—887(L)
Of proton, magnetic, I. Estermann, O. C. Simpson, O. Stern—1004(A)
Of Rb^{85}, S. Millman, I. I. Rabi, J. R. Zacharias—379(A)
Space quantization in gyrating field, I. I. Rabi—652; 683(A)
Spin and magnetic moment of Li^6, J. H. Manley, S. Millman—19
Nucleus (see also **Disintegration of nucleus**)
Collisions of neutron and proton, P. M. Morse, J. B. Fisk, L. I. Schiff—706
Density of energy levels, J. Bardeen—384(A); 799; S. Goudsmit—64(A)
Hartree approximation, motion of center of gravity, A. F. Stevenson—590(L)
Hartree-Fock methods, N. H. Frank—577
Interaction between light nuclei, M. Phillips, L. Eisenbud, E. U. Condon—382(A)
Kinetic energy; Hartree model, H. A. Bethe, M. E. Rose—283
Neutrino-electron field theory; range of forces, M. H. Johnson, Jr., H. Primakoff—612; H. Primakoff—990(L)
Neutron-proton interactions, J. H. Bartlett, Jr.—889(L)
O^{16}, perturbation theory, W. J. Kroeger, D. R. Inglis—1003(A)
Perturbation theory, He^4 and Li^6, D. R. Inglis—387(A); 531
Photoelectric cross section of deuteron, K. Way—552
Relativistic equations, G. Breit—248; 778(L)
Resonance effects, H. A. Bethe, G. Placzek—450
Resonating group, J. A. Wheeler—683(A)
Saturation property of forces, E. Feenberg—777(L)
Self-consistent field and Bohr's model, W. M. Elsasser—55(L); 144(A)
Stable states of two deuterons, H. Parker—682(A)
Stabilities of isotopes of lighter elements, W. M. Latimer—141(L)
Stable isobars, E. Wigner—106; D. R. Inglis, L. A. Young—525

Nucleus (continued)
Structure of heavy nuclei, E. Wigner—946
Structure of light nuclei, E. Feenberg, M. Phillips—597; 683(A)
Structure; He to O, E. Feenberg, E. Wigner—95
Symmetry of nuclear Hamiltonian, E. Wigner—106
Three and four body problem, H. Margenau, D. T. Warren—1003(A)
Two-, three- and four-body problems, W. Rarita, R. D. Present—382(A); 788
Virial theorem, E. L. Hill—370(L)

Optical constants and properties
Of built-up films of barium stearate, K. B. Blodgett, I. Langmuir—964
Of evaporated films, D. H. Andrews, J. A. Sanderson, E. O. Hulburt—1017(A)
Five to twenty centimeter waves in water, H. W. Knerr—1007(A)
Measurement of velocity of light, W. C. Anderson——596(A)
Refractive index of air in infrared, D. Bender—144(A)
Refractive index of water; 8 to 24 cm waves, T. T. Goldsmith, Jr.—245
Optical theory
Anomalous diffraction gratings; theory of, U. Fano—288(L)
Resolution of spectrometer, C. Eckart—735
Oscillators (see **Electrical circuits**)

Permeability (see **Magnetic properties**)
Photoelectric effect and properties; cells
Absolute yields of Mg, Be and Na, M. W. Mann, Jr., L. A. DuBridge—120
Auger effect and energy level widths for Au(79), E. G. Ramberg, F. K. Richtmyer—913
Auger effect in Ge, M. Ference, Jr.—720
Cross section of deuteron, K. Way, J. A. Wheeler—683(A); K. Way—552; G. Breit, E. U. Condon, J. R. Stehn—56(L)
Disintegration of deuteron, J. R. Richardson, L. Emo—1014(A)
Effect of current through Bi, A. H. Weber, C. B. Bazzoni—378(A)
Energy distribution electrons from Ca and CaO, I. Liben—642
Quantum absorption probability, A. T. Waterman——378(A)
Time lag in gas-filled cells, A. M. Skellett—1026(A)
Work functions of 211 and 310 planes of W, C. E. Mendenhall, C. F. DeVoe—346
Photography
Density-exposure time curve for x-rays, F. R. Hirsh, Jr.—998(A)
Photoionization
Ionization measurements, positive and negative currents, E. F. Cox—55(L)
Photons
Sufficient description of, H. R. Crane—50(L)

Piezoelectric effect
Longitudinal effect in Rochelle salt, W. G. Cady—596(A)
Piezodielectric effect and electrostriction, H. Osterberg, J. W. Cookson—1096
Polarization of radiation
Depolarization of Raman lines, structure of chlorate, bromate and iodate ions, S. T. Shen, Y. T. Yao, Ta-You Wu—235
Positive electron
Symmetry theorem, W. H. Furry—125

Radio
Heights of reflection of radio waves in the ionosphere, F. H. Murray, J. B. Hoag—333; F. H. Murray—779(L)
Ionosphere and magnetic storms, S. S. Kirby, N. Smith, T. K. Gilliland, S. E. Reymer—992(L)
Reflection of waves in troposphere, R. C. Colwell, A. W. Friend—1005(A)
Velocity of radio waves, R. C. Colwell, A. W. Friend—990(L)
Radioactivity (see also **Disintegration of nucleus**)
α-particles from U, W. M. Rayton, T. R. Wilkins—818
Of Al, by $_1H^2$, M. L. Pool, J. M. Cork—383(A)
Of Ba, La and Ce; by $_2H^1$, M. L. Pool, J. M. Cork—1010(A)
β-decay, Fermi's theory, L. W. Nordheim, F. L. Yost—942
β-decay theory, heavy particle interactions, G. D. Camp—1046
β-ray spectra, calculations, W. G. Pollard—682(A)
β-ray spectrum of P^{32}, H. C. Paxton—170; W. E. Lamb, Jr.—145(A)
β-ray spectra of RaE and P^{32}, E. M. Lyman—1
β-ray spectrum of RaE, L. M. Langer, M. D. Whitaker—713; 1023(A); J. S. O'Conor—1023(A)
β-transformation theory, G. Gamow, E. Teller—289(L)
Of Be^8, W. A. Fowler, C. C. Lauritsen—1103(L)
Of B, N, Al by $_2He^4$, L. N. Ridenour, W. J. Henderson, M. C. Henderson, M. G. White—1013(A)
Of Br by $_1H^2$, A. H. Snell—1011(A)
Of Ca, by $_1H^2$, H. Walke—143(A); 439
Of Cd by neutrons, long period, A. C. G. Mitchell—995(L)
Of Co, by slow neutrons, J. R. Risser—1013(A)
Of Co, Cu and Ni by $_2He^4$, L. H. Ridenour, W. J. Henderson—1102(L)
Capture of orbital electrons, C. Møller—84; J. A. Knipp—381(A); Hideki Yukawa Shoichi Sakata—677(L)
Of elements Mg to Sb, S. W. Barnes, L. A. DuBridge, E. O. Wiig, J. H. Buck, C. V. Strain—1012(A)
Fermi theory of β-decay, L. W. Nordheim—64(A)
Of F^{18}; ($Ne^{20}+{}_1H^2$), A. H. Snell—143(A)
γ-rays from Ra (C+C'+C''+D), Sotohiko Nishida—996(L)
In heavy nuclei by $_1H^1$, S. W. Barnes, L. A. DuBridge, E. W. Wiig, J. H. Buck, C. V. Strain—775(L)
Of Fe; by $_1H^2$, B. T. Darling, B. R. Curtis, J. M. Cork—1010(A)

Radioactivity (continued)
Of Pb by $_1H^2$, R. L. Thornton, J. M. Cork—383(A)
Neutron ejection produced by fast neutrons, M. L. Pool, J. M. Cork, R. L. Thornton—890(L)
Of Ni by $_1H^2$, R. L. Thornton—893
Of O by $_1H^1$, L. A. DuBridge, S. W. Barnes, J. H. Buck—995(L); 1012(A)
Of Pd by $_1H^2$, J. D. Kraus, J. M. Cork—383(A)
Of K^{38}, W. J. Henderson, L. N. Ridenour, M. G. White, M. C. Henderson—1107(L)
Of K^{40}, W. R. Smythe, A. Hemmendinger—178: 146(A); E. Pollard, H. L. Schultz, G. Brubaker—1014(A)
Of K, induced, D. G. Hurst, H. Walke—1033
RaB β-energies, erratum, F. T. Rogers, Jr.—588
Relativistic equations for nuclear particles, G. Breit—248; 778(L)
Of Rb, natural, A. Hemmendinger, W. R. Smythe—1052
Of Se by $_1H^1$, resonance, J. H. Buck, C. V. Strain, G. Valley—1012(A)
Of Si and P by $_1H^2$, H. W. Newson—624
Straggling of α-particles, A. King, W. M. Rayton—826
Of Ti, by $_1H^2$, H. Walke—1011(A)

Raman spectra
Common ion effect shown, J. H. Hibben—593(L)
Depolarization of Raman lines, structure of chlorate, bromate and iodate ions, S. T. Shen, Y. T. Yao, Ta-You Wu—235
Of gaseous methyl- and dimethylacetylenes, G. Glockler, F. T. Wall—529(L)

Relativity
Nebulae as gravitational lenses, F. Zwicky—290(L); 679(L)
Relativistic equations for nuclear particles, G. Breit—248; 778(L)
Relativistic wave functions for coulomb field, M. E. Rose—484

Resistance, electrical (see **Electrical conductivity and resistance**)

Scattering of atoms and molecules (see also **Atomic and molecular beams**)
K atoms scattered by MgO, V. W. Cohen, A. Ellett—65(A)

Scattering of electrons, neutrons, and ions (see also **Electrons, scattering of; Electron diffraction**)
Collision of neutron and $_1H^2$, L. I. Schiff—1003(A)
Collisions of neutron and $_1H^1$, P. M. Morse, J. B. Fisk, L. I. Schiff—706
Diffuse reflection of neutrons, O. Halpern, R. Lueneburg, O. Clark—1028(A)
Electron scattering and action of collector, E. G. Linder—1024(A)
Of electrons by atomic nuclei, R. T. Cox, C. T. Chase—140(L)
Of fast electrons, small angle, J. B. H. Kuper—1024(A)
Fluctuations in radiative energy loss, W. H. Furry—1004(A)
High energy electrons, stopping of, A. Bramley—387(A), 682(A)
Inelastic collisions of $_1H^2$, L. I. Schiff—783
Inelastic scattering of fast neutrons, D. C. Grahame, G. T. Seaborg, G. E. Gibson—590(L)
Magnetic scattering of neutrons, L. J. Laslett—22; 148(A); J. S. Schwinger—544; O. Halpern, M. H. Johnson, Jr.—992(L); F. Bloch—994(L); P. N. Powers, H. Carroll, J. R. Dunning—1112(L)
Of neutrons by ortho- and parahydrogen, J. Schwinger, E. Teller—775(L)
Of neutrons by $_1H^1$, J. B. Fisk, P. M. Morse—54(L)
Neutron-proton interaction, P. G. Kruger, W. E. Shoupp, F. W. Stallmann—1021(A); C. W. Lampson, D. W. Mueller, H. A. Barton—1021(A)
Neutron proton scattering; depolarization, J. Schwinger, I. I. Rabi—1043(A)
Of neutrons absorbed by I, A. C. G. Mitchell, R. N. Varney—1021(A)
Phase shifts in scattering problems, E. L. Hill—1023(A)
Of $_1H^1$ by $_1H^1$, L. R. Hafstad, N. P. Heydenburg, M. A. Tuve—1023(A)
Scattering and stopping of electrons, M. E. Rose—1024(A)

Secondary electrons (see **Electrons, secondary**)

Solid state (see **Crystalline state**)

Solutions
Common ion effect, J. H. Hibben—593(L)
Electric breakdown, Y. Toriyama, U. Shinohara—680(L)

Sound (see **Acoustics**)

Spectra, absorption (see also **Absorption of light**)
Of acetic acid; infrared, W. Gordy—685(A)
Of acid solutions; infrared, E. K. Plyler—685(A)
Of alcohol-acetate mixtures; infrared, E. S. Barr—685(A)
Of Sb_2, G. M. Almy, H. A. Schultz—62(A)
Of aqueous solutions of halogen salts, E. K. Plyler, E. S. Barr—1017(A)
Of binary mixtures of organic liquids; infrared, D. Williams, W. Gordy—685(A)
Of CsH, M. P. Rassweiler, G. M. Almy—1019(A)
Of formic acid vapor, L. G. Bonner, R. Hofstadter—1017(A)
Of GeO_2, R. W. Shaw—146(A)
Of HCl and HBr; infrared, C. E. Leberknight, J. A. Ord—430
Of hydrogen halides in organic solvents, D. Williams—288(L)
Of Fe I and Ti I, R. B. King, A. S. King—1020(A)
Of MgH, L. A. Turner, W. T. Harris—1019(A)
Of NiCl and CoCl, K. R. More—1017(A)
OH vibrational band of alcohol, W. Gordy—564
Of porphin and its isomer, V. M. Albers, H. V. Knorr—1017(A)
Pressure effect, dipole molecules, S. D. Cornell—739
Rotation of water molecules, E. L. Kinsey, J. W. Ellis—381(A)
In Schumann region; Ag, F. W. Paul—594(A)
Of stretched rubber, D. Williams, R. Taschek—1016(A)
Of water in CS_2, E. L. Kinsey, J. W. Ellis—1074

Spectra, atomic
Energy levels in N and A, J. P. Sampson—1017(A)
Of He, effect of electric and magnetic fields, J. S. Foster, E. R. Pounder—1029(A)
He I like spectra, H. A. Robinson—14; 65(A)
Structure of Hα and Dα, W. V. Houston—148(A)
Structure of Hα, N. A. Kent, R. M. Frye, W. H. Robinson—990(L)
Of Li I; isotope shifts, D. d'Eustachio—780(L)
Of Mn II, C. W. Curtis—1018(A)
Of noble gases in ultraviolet, C. J. Humphreys—1018(A)
Normal p electron configurations; coupling, H. A. Robinson, G. H. Shortley—1018(A)
Of K III, Ca IV, and Sc V, P. G. Kruger, L. W. Phillips—1082
Of P XIII, H. A. Robinson—381(A)
Of Pt II, A. G. Shenstone—1018(A)
Of P III, P IV, P V, H. A. Robinson—726
Of K_1; temperature shift, G. F. Hull, Jr.—572, 595(A)
Of Rb; addition of rare gases, Ny Tsi-Zé, Ch'en Shang-Yi—567
Of Sc IV, Ti V, Mn VIII and Fe IX, P. G. Kruger, S. G. Weissberg, L. W. Phillips—1090
Of Sc IV, V, L. W. Phillips, P. G. Kruger—1019(A)
Of Sc VI, VII, H. S. Pattin, P. G. Kruger—1019(A)
Term values in C, C. W. Ufford—1020(A)
Of Yt I, II, I-djen Ho, R. A. Sawyer—1020(A)
Spectra, general
Absorption spectrum, test for hydroxyl radicals, O. Oldenberg, F. F. Rieke—381(A)
Analysis of biological material, J. S. Foster, C. A. Horton—1006(A)
Arrangement for analysis of spectrum plate, J. G. Black—380(A)
Continuous bands near metal lines, W. M. Preston—298
Fine structure in O_2, R. Schlapp—342
Interferometer wave-lengths of D_2 and HD, N. A. Kent, R. G. Lacount—241
Magnetron discharge; spectra in, O. Luhr, F. J. Studer—306
Pressure broadening in bands, W. W. Watson, H. Margenau—48(L); S. D. Cornell—595(A)
Observable interstellar lines, R. M. Langer—145(A)
Spectra, molecular (see also **Molecular structure and constants**)
Of SbF and BiF, G. D. Rochester—486
Of AlH, OH^+, BH, C. N. Challacombe, G. M. Almy—63(A); 930
Of atmospheric oxygen, H. D. Babcock—148(A)
Of BiF, BiCl, SbF, and SbCl, G. D. Rochester—146(A)
Of BH and BH^+, G. M. Almy, R. B. Horsfall, Jr.—491
Of Cd^+ D, R. V. Zumstein, J. W. Gabel, R. E. McKay—238
Of C_2H_2, internal rotation, J. B. Howard—53(L)
Of GeO, R. W. Shaw—12
H_2 and univalent metal halides, R. S. Mulliken—310
H_2 bands precision measurements, H. D. Landahl, G. S. Monk—993(L)
Levels of asymmetrical rotator, E. E. Witmer—1001(A)
Λ-type doubling in $^3\Pi$ state, C. N. Challacombe—1001(A)
Metastable molecules in Lewis-Rayleigh glow, J. Kaplan—143(A)
Of CD_4; optically active bands, H. H. Nielsen, A. H. Nielsen—62(A)
Of SiF; α and β bands, E. H. Eyster—1078
Test of Franck-Condon approximation, H. M. James, A. S. Coolidge—1001(A)
Spectra, Raman (see **Raman spectra**)
Stark effect
In A and Kr, J. S. Foster, C. A. Horton—1007(A)
In HD and D_2, J. S. Foster, D. C. Jones, S. M. Neamtan—1029(A)
In Fe; pole effect, F. Panter, J. S. Foster—1028(A)
Structure factor
Of Ni, W. P. Jesse—999(A)
Superconductivity (see **Electrical conductivity and resistance**)

Thermal diffusivity
Of Ni, C. Starr—376(A)
Thermal expansion
Of Bi lattice between 25° and 530° absolute, R. B. Jacobs, A. Goetz—147(A), 159
Thermionic emission of electrons; Emitting surfaces (see also **Vacuum tubes**)
Into dielectric liquids, E. B. Baker, H. A. Boltz—275; 989(L); K. H. Reiss—781(L)
Of W, change with temperature, A. T. Waterman, J. G. Potter—63(A)
Thermodynamics
Equation of state, W. Jacyna—677(L)
Transmutation (see **Disintegration of nucleus**)

Vacuum tubes
Electron scattering and action of collector, E. G. Linder—1024(A)
van der Waals forces
Between He atoms, C. H. Page—1002(A)
Interactions between dipole molecules, H. Margenau, D. T. Warren—748
Vapor pressure
Of Cs by positive ion method, J. B. Taylor, I. Langmuir—753
Virial coefficient
Quantum theory of, L. Gropper—50(L)
Virial theorem in nuclear problems, E. L. Hill—370(L)

Work function (see **Thermionic emission; Photoelectric effect**)

X-rays, absorption
Measurement of hard x-rays, G. C. Laurence—374(A)
K limits of Br I, and compounds, B. Cioffari—630
Of ultra-short rays, F. K. Richtmyer—376(A)
X-rays, diffraction, scattering, reflection, refraction and polarization
Analysis of liquid methyl alcohol, G. G. Harvey—998(A)
Backward scattered x-radiation, E. H. Quimby—374(A)

X-rays, diffraction, scattering, reflection, refraction and polarization (continued)
Coincidences in Compton effect, R. S. Shankland—1024(A)
Compton scattering in He gas, H. A. Kirkpatrick, J. W. M. DuMond—147(A)
Counter measurements of reflected rays, R. D. Miller—999(A)
Debye-Scherrer-Hull patterns, indexing of, L. K. Frevel—997(A)
Diffraction pattern of liquids; effect of electric field, A. A. Bless—688(A)
Diffuse scattering from quartz, E. S. Foster, Jr., G. E. M. Jauncey, W. A. Bruce—61(A)
Index of refraction of cerussite, J. E. Field, G. A. Lindsay—165
Multi-molecular films; thickness, C. Holley—1000(A)
Scattering from Zn, G. E. M. Jauncey, W. A. Bruce—999(A), 1062, 1067; E. O. Wollan, G. G. Harvey—1054; W. A. Bruce, E. M. McNatt—1065
Patterns at high hydrostatic pressures, R. B. Jacobs—999(A)
Reflections from Bi crystals between 25° and 530° Abs., A. Goetz, R. B. Jacobs—147(A)
Structure of molten salts, E. P. Miller, K. Lark-Horovitz—61(A)
Structure of wood, W. I. Caldwell, K. Lark-Horovitz—998(A)
Superlattices and "mixed crystals," F. C. Blake—1000(A)
X-rays, emission (see also **X-rays, spectra and spectroscopy, etc.**)
Energy level widths for Au(79), E. G. Ramberg, F. K. Richtmyer—913
Excitation by protons, M. S. Livingston, F. Genevese, E. J. Konopinski—835
Fluorescence yields, R. J. Stephenson—62(A), 637
L-satellites, $73<Z<79$, F. K. Richtmyer, C. H. Shaw, R. E. Shrader—380(A)
L-lines of Ag; width, L. G. Parratt—999(A)
Production by A ions, M. Tanaka, I. Nonaka—781(L)
Satellites of $L\alpha$ and $L\beta_2$ of Au(79), F. K. Richtmyer, E. G. Ramberg—925
Search for element 87, F. R. Hirsh, Jr.—584
Secondary radiation; geometrical variables, H. E. Seemann—376(A)
Secondary radiations emitted by filters, L. D. Marinelli—375(A)
Of sulphides and sulphates, J. Valasek—832
X-rays, spectra and spectroscopy, wave-length measurements (see also **X-rays, emission**)
Density-exposure time curve, F. R. Hirsh, Jr.—998(A)
Precision determination; short wave-length limit, V. L. Bollman, J. W. M. DuMond—145(A); P. Kirkpatrick, P. A. Ross—529(L)
Integrated intensities of x-rays; recording apparatus, O. B. Jackson, A. Goetz—142(A)
X-rays, tubes, apparatus
30 kw, continuous rating x-ray outfit, J. P. Youtz, J. W. M. DuMond—144(A)
Focusing of electrons, N. C. Beese—998(A)
Location of points by x-ray photography, A. D. Hummell, O. F. Hume—60(A)

Zeeman effect
Asymmetric patterns in complex spectrum, J. E. Mack, O. Laporte—291(L)
In Ne, J. B. Green, J. A. Peoples, Jr.—1020(A)
Of N II, J. B. Green, H. N. Maxwell—243
Of Te, J. B. Green, R. A. Loring—62(A)